



2024年3月28日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2024年3月度)

試験責任者：品質保証部
マネジャー 佐薙征直

M. Onogi

ジャクソン・ラボラトリ・ジャパン株式会社
モニタリングセンター
〒315-0138 茨城県石岡市上林955
TEL: 0299-44-1691 FAX: 0299-44-1692



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A11 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MHV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
MVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MPV ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MNV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
EDIM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MuCPV ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 60	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
P. aeruginosa ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Staph. aureus ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 90	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	
Pneumocystis sp. ad	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30	
C. bovis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	



Immunodeficient Mouse SPF/VAF Report (Barrier) Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A11 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Pathology						
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90	0 / 90
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107
Helminths ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
ICR-nu nu/+	BALB/c-nu nu/+
ICR-nu nu/nu	BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A12 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MHV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
MVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MPV ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MNV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
EDIM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MuCPV ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 60	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
P. aeruginosa ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Staph. aureus ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 90	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	
Pneumocystis sp. ad	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30	
C. bovis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	



Immunodeficient Mouse SPF/VAF Report (Barrier) Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A12 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Pathology						
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90	0 / 90
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107
Helminths ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/c-nu nu/+
BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A13 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
PVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
MHV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 41	0 / 41
MVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
MPV ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
MNV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 41	0 / 41
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
REO ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
EDIM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
MuCPV bd	PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
P. aeruginosa bd	Culture/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 24	0 / 24
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	0 / 25
Pathology						
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 8	0 / 8	0 / 8

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A13 Mice

Health Status
SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 25	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 8	0 / 8	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6NJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A14 Mice



Summary Item	Method	Primary Lab	Health Status		Most Recent		Past 18 Months	
			SPF / VAF	Test Date	Positive / Tested	Positive / Tested	Positive / Tested	Positive / Tested
Virology								
SEND ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
PVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MHV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
MVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MPV ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MNV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
REO ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MuCPV bd	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30	0 / 30	0 / 30	0 / 30
Microbiology								
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107	0 / 107	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	0 / 282	0 / 282	0 / 282
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Pathology								
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90	0 / 90	0 / 90	0 / 90



Mouse SPF/VAF Report Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A14 Mice



Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Helminths ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
ICR	B6 Albino
	BALB/cJ
	CBA
	NC
	SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A21 Rats

Summary Item	Method	Primary Lab	Health Status			
			Test Date	SPF / VAF	Most Recent	Past 18 Months
Virology						
SEND ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
SDAV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 279	
KRV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
H1 ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
RPV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
RMV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
RTV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
Microbiology						
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>F. rodentium</i> (CAR <i>Bacillus</i>) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>H. bilis</i> ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>H. hepaticus</i> ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
<i>R. heyliei</i> (<i>P. pneumotropica</i>) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>R. pneumotropicus</i> (<i>P. pneumotropica</i>) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>P. aeruginosa</i> bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>S. moniliformis</i> ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>CPL</i> (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 282	
<i>Pneumocystis</i> sp. ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	
<i>C. bovis</i> bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Pathology						
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90	
Parasitology						
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>Helminths</i> ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A21 Rats



Summary Item	Method	Primary Lab	Health Status	Most Recent	Past 18 Months
			SPF / VAF	Test Date	Positive / Tested
HOUSED STRAINS					
	Outbred CD(SD) Wistar				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A22 Mice



Summary Item	Method	Primary Lab	Health Status		Most Recent		Past 18 Months	
			SPF / VAF	Test Date	Positive / Tested	Positive / Tested	Positive / Tested	Positive / Tested
Virology								
SEND ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
MVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 30	0 / 30	0 / 30	0 / 30
Microbiology								
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107	0 / 107	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 282	0 / 282	0 / 282	0 / 282
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Pathology								
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90	0 / 90	0 / 90	0 / 90



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A22 Mice



Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Helminths ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/c	CD2F1
DBA/1	
DBA/2 (Crlj)	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A23 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
PVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
MHV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 132	
MVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
MPV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
MNV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 132	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
REO ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
EDIM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 23	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 62	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 123	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 133	
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
Pathology						
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 53	

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A23 Mice

Health Status
SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 62	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 52	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6NJ
BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A24 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MHV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
MVM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MPV ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
MNV ace	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 279	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
EDIM ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
MuCPV bd	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 262	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
P. aeruginosa bd	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Mar-2024	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Pathology						
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90	

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A24 Mice

Health Status
SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A25 Mice



Summary Item	Method	Primary Lab	Health Status		Most Recent		Past 18 Months	
			SPF / VAF	Test Date	Positive / Tested	Positive / Tested	Positive / Tested	Positive / Tested
Virology								
SEND ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
MVM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 30	0 / 30	0 / 30	0 / 30
Microbiology								
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	0 / 107	0 / 107	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. bilis ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. hepaticus ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Mar-2024	0 / 16	0 / 282	0 / 282	0 / 282	0 / 282
C. bovis bde	PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Pathology								
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90	0 / 90	0 / 90	0 / 90



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A25 Mice



Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
Helminths ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Feb-2024	0 / 1	0 / 87	
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J
B6N
BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H11 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
SDAV ace	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 279	
KRV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
H1 ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
RPV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
RMV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
RTV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
C. kutscheri ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
H. bilis ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
H. hepaticus ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
Helicobacter sp. ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
R. heyliei (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
Salmonella sp. ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 282	
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
C. bovis bde	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
Pathology						
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
Helminths ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
E. cuniculi ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H11 Rats



Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
HOUSED STRAINS						
		Inbred				
		BN				
		F344				
		LEW				
		PCK				
		WKY				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H12 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
PVM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
MHV ace	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 279	
MVM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
MPV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
MNV ace	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 279	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
REO ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
EDIM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
ECTRO ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
MCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
K ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
POLY ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
MTLV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
LDV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
MuCPV bd	PCR	RADS JPN	07-Feb-2024	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
C. rodentium ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
C. kutscheri ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
H. bilis ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
H. hepaticus ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
Helicobacter sp. ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
Salmonella sp. ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
Pathology						
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90	

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H12 Mice

Health Status
SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 107	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J
db
ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H22 Mice



Summary Item	Method	Primary Lab	Health Status		Most Recent		Past 18 Months	
			SPF / VAF	Test Date	Positive / Tested	Positive / Tested	Positive / Tested	Positive / Tested
Virology								
SEND ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
PVM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MHV ace	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
MVM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MPV ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
MNV ace	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 279	0 / 279	0 / 279	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
REO ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
K ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
POLY ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
LDV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
MuCPV bd	PCR	RADS JPN	07-Feb-2024	0 / 5	0 / 30	0 / 30	0 / 30	0 / 30
Microbiology								
B. bronchiseptica ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 107	0 / 107	0 / 107	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. bilis ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
H. hepaticus ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 262	0 / 262	0 / 262	0 / 262
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70	0 / 70	0 / 70	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Mar-2024	0 / 16	0 / 282	0 / 282	0 / 282	0 / 282
C. bovis bde	PCR	RADS JPN	22-Feb-2024	0 / 1	0 / 87	0 / 87	0 / 87	0 / 87
Pathology								
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90	0 / 90	0 / 90	0 / 90



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H22 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	Positive / Tested	Most Recent	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 /	87
Helminths ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 /	107
Enteric Protozoa ade	Exam/PCR	RADS JPN	22-Feb-2024	0 / 1	0 /	87
E. cuniculi ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 /	70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred	Hybrid
ICR	B6N	B6C3F1
	C3H	B6D2F1
	DBA/1	
	DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A15 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
PVM ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
MHV ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
MVM ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
MPV ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
MNV ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
TMEV (GDVII) ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
REO ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
EDIM ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
LCMV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
ECTRO a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
MAV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
MCMV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
K a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
POLY a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
HANT a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
MTLV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
LDV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
MuCPV a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
C. rodentium abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
C. kutscheri abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
H. bilis ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
H. hepaticus ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
Helicobacter sp. ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
M. pulmonis ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
P. aeruginosa abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
Salmonella sp. abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
Staph. aureus abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
S. moniliformis a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
Strep. pneumoniae abc	Culture/PCR	RADS JPN	12-Mar-2024	0 / 45	0 / 1,026	0 / 1,026
Beta Strep. sp. a	Culture/PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	0 / 228
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399
Pneumocystis sp. ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	0 / 399



Immunodeficient Mouse SPF/VAF Report (Isolator) Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A15 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Microbiology						
C. bovis ac	PCR	RADS JPN	12-Mar-2024	0 / 10	0 / 399	
Pathology						
Gross Exam ad	Exam	RADS JPN	04-Mar-2024	0 / 12	0 / 228	
Parasitology						
Ectoparasites a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	
Helminths a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	
Enteric Protozoa a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	
E. cuniculi a	PCR	RADS JPN	04-Mar-2024	0 / 12	0 / 228	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains
Congenic
C.B-17 SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T21 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
PVM ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
MHV ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
MVM ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
MPV ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
MNV ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
TMEV (GDVII) ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
REO ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
EDIM ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
LCMV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
ECTRO a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
MAV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
MCMV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
K a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
POLY a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
HANT a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
MTLV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
LDV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
MuCPV a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
C. rodentium abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
C. kutscheri abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
H. bilis ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
H. hepaticus ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
Helicobacter sp. ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
M. pulmonis ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
P. aeruginosa abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
Salmonella sp. abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
Staph. aureus abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
S. moniliformis a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
Strep. pneumoniae abc	Culture/PCR	RADS JPN	05-Mar-2024	0 / 60	0 / 1,406	
Beta Strep. sp. a	Culture/PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
Pneumocystis sp. ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T21 Mice

Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
Microbiology						
C. bovis ac	PCR	RADS JPN	05-Mar-2024	0 / 13	0 / 547	
Pathology						
Gross Exam ad	Exam	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
Parasitology						
Ectoparasites a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
Helminths a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
Enteric Protozoa a	Exam/PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	
E. cuniculi a	PCR	RADS JPN	04-Mar-2024	0 / 20	0 / 312	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Other Strains
SHO	<u>Congenic</u> NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T22 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
PVM ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
MHV ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
MVM ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
MPV ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
MNV ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
TMEV (GDVII) ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
REO ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
EDIM ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
LCMV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
ECTRO a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
MAV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
MCMV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
K a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
POLY a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
HANT a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
MTLV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
LDV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
MuCPV a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
C. rodentium abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
C. kutscheri abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
H. bilis ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
H. hepaticus ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
Helicobacter sp. ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
M. pulmonis ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
P. aeruginosa abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
Salmonella sp. abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
Staph. aureus abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
S. moniliformis a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
Strep. pneumoniae abc	Culture/PCR	RADS JPN	19-Mar-2024	0 / 50	0 / 1,195	0 / 1,195
Beta Strep. sp. a	Culture/PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	0 / 256
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459
Pneumocystis sp. ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	0 / 459



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T22 Mice

Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
Microbiology						
C. bovis ac	PCR	RADS JPN	19-Mar-2024	0 / 12	0 / 459	
Pathology						
Gross Exam ad	Exam	RADS JPN	11-Mar-2024	0 / 8	0 / 256	
Parasitology						
Ectoparasites a	Exam/PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	
Helminths a	Exam/PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	
Enteric Protozoa a	Exam/PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	
E. cuniculi a	PCR	RADS JPN	11-Mar-2024	0 / 8	0 / 256	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

NOD SCID

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings