2013年9月
日本チャールス・リバー株式会社

重度免疫不全SCID BEIGE マウス文献リスト（がん関連研究分野）

注意：下記文献リストは、PubMedより抜粋し、作成いたしました。

1	A novel inhibitor of proteasome deubiquitinating activity renders tumor cells sensitive to TRAIL-mediated apoptosis by natural killer cells and T cells. Sarhan D, Wennerberg E, D'Arcy P, Gurajada D, Linder S, Lundqvist A. Cancer Immunol Immunother. 2013 Aug;62(8):1359-68. doi: 10.1007/s00262-013-1439-1. Epub 2013 May 21.
2	Enhancement of the anti-melanoma response of Hu14.18K322A by α CD40 + CpG. Alderson KL, Luangrath M, Elsenheimer MM, Gillies SD, Navid F, Rakhmilevich AL, Sondel PM. Cancer Immunol Immunother. 2013 Apr;62(4):665-75. doi: 10.1007/s00262-012-1372-8. Epub 2012 Nov
3	Activated monocytes augment TRAIL-mediated cytotoxicity by human NK cells through release of IFN-γ . Sarhan D, D'Arcy P, Wennerberg E, Lidén M, Hu J, Winqvist O, Rolny C, Lundqvist A. Eur J Immunol. 2013 Jan;43(1):249-57. doi: 10.1002/eji.201242735. Epub 2012 Oct 26.
4	Immune rejection in a humanized model of murine prostate cancer. Schaue D, Koya RC, Liao YP, Ribas A, McBride WH. Anticancer Res. 2010 Feb;30(2):409-14.
5	Adult human mesenchymal stem cells enhance breast tumorigenesis and promote hormone independence. Rhodes LV, Muir SE, Elliott S, Guillot LM, Antoon JW, Penfornis P, Tilghman SL, Salvo VA, Fonseca JP, Lacey MR, Beckman BS, McLachlan JA, Rowan BG, Pochampally R, Burow ME. Breast Cancer Res Treat. 2010 Jun;121(2):293-300. doi: 10.1007/s10549-009-0458-2. Epub 2009 Jul 12.
6	CD40 ligation in vivo can induce T cell independent antitumor effects even against immunogenic tumors. Rakhmilevich AL, Buhtoiarov IN, Malkovsky M, Sondel PM. Cancer Immunol Immunother. 2008 Aug;57(8):1151-60. doi: 10.1007/s00262-007-0447-4. Epub 2008 Jan
7	Macrophages are essential for antitumour effects against weakly immunogenic murine tumours induced by class B CpG-oligodeoxynucleotides. Buhtoiarov IN, Sondel PM, Eickhoff JC, Rakhmilevich AL. Immunology. 2007 Mar;120(3):412-23. Epub 2006 Dec 8.
8	The molecular biology of pulmonary metastasis. Krishnan K, Khanna C, Helman LJ. Thorac Surg Clin. 2006 May;16(2):115-24. Review.
9	Control of metastasized pancreatic carcinomas in SCID/beige mice with human IL-2/TKD-activated NK cells. Stangl S, Wortmann A, Guertler U, Multhoff G. J Immunol. 2006 May 15;176(10):6270-6.
10	In vivo CD40 ligation can induce T-cell-independent antitumor effects that involve macrophages. Lum HD, Buhtoiarov IN, Schmidt BE, Berke G, Paulnock DM, Sondel PM, Rakhmilevich AL. J Leukoc Biol. 2006 Jun;79(6):1181-92. Epub 2006 Mar 24.
11	Synergistic activation of macrophages via CD40 and TLR9 results in T cell independent antitumor effects. Buhtoiarov IN, Lum HD, Berke G, Sondel PM, Rakhmilevich AL. J Immunol. 2006 Jan 1;176(1):309-18.
12	CD40 ligation activates murine macrophages via an IFN-gamma-dependent mechanism resulting in tumor cell destruction in vitro. Buhtoiarov IN, Lum H, Berke G, Paulnock DM, Sondel PM, Rakhmilevich AL. J Immunol. 2005 May 15;174(10):6013-22.
13	Treatment of experimental breast cancer using interleukin-12 gene therapy combined with anti-vascular endothelial growth factor receptor-2 antibody. Rakhmilevich AL, Hooper AT, Hicklin DJ, Sondel PM. Mol Cancer Ther. 2004 Aug;3(8):969-76.
14	Bioluminescent imaging (BLI) to improve and refine traditional murine models of tumor growth and metastasis. Jenkins DE, Oei Y, Hornig YS, Yu SF, Dusich J, Purchio T, Contag PR. Clin Exp Metastasis. 2003;20(8):733-44.
15	Biologically relevant orthotopic neuroblastoma xenograft models: primary adrenal tumor growth and spontaneous distant metastasis. Khanna C, Jaboin JJ, Drakos E, Tsokos M, Thiele CJ. In Vivo. 2002 Mar-Apr;16(2):77-85.

16	Eradication of intraperitoneal and distant tumor by adenovirus-mediated interferon-beta gene therapy is attributable to induction of systemic immunity. Odaka M, Sterman DH, Wiewrodt R, Zhang Y, Kiefer M, Amin KM, Gao GP, Wilson JM, Barsoum J, Kaiser LR, Albelda SM. Cancer Res. 2001 Aug 15;61(16):6201-12.
17	Adenovirus-interleukin-12-mediated tumor regression in a murine hepatocellular carcinoma model is not dependent on CD1-restricted natural killer T cells. Andrews KJ, Ribas A, Butterfield LH, Vollmer CM, Eilber FC, Dissette VB, Nelson SD, Shintaku P, Mekhoubad S, Nakayama T, Taniguchi M, Glaspy JA, McBride WH, Economou JS. Cancer Res. 2000 Nov 15;60(22):6457-64.
18	Adoptive transfer of human natural killer cells in mice with severe combined immunodeficiency inhibits growth of Hsp70-expressing tumors. Multhoff G, Pfister K, Botzler C, Jordan A, Scholz R, Schmetzer H, Burgstahler R, Hiddemann W. Int J Cancer. 2000 Dec 1;88(5):791-7.
19	Design of a Phase I Clinical Trial to evaluate intra-tumoral delivery of ErbB-targeted CAR T-cells in locally advanced or recurrent Head and Neck Cancer. van Schalkwyk MC, Papa SE, Jeannon JP, Guerrero Urbano T, Spicer JF, Maher J. Hum Gene Ther Clin Dev. 2013 Sep 3. [Epub ahead of print]
20	Hepatitis C virus induced up-regulation of microRNA-27: A novel mechanism for hepatic steatosis. Singaravelu R, Chen R, Lyn RK, Jones DM, O'Hara S, Rouleau Y, Cheng J, Srinivasan P, Nasheri N, Russell RS, Lorne D, Pezacki JP. Hepatology. 2013 Jul 29. doi: 10.1002/hep.26634. [Epub ahead of print]
21	Additive effect of sirolimus and anti-death receptor 5 agonistic antibody against hepatocellular carcinoma. Kawahara T, Toso C, Yamaguchi K, Cader S, Douglas DN, Nourbakhsh M, Lewis JT, Churchill TA, Yagita H, Kneteman NM. Liver Int. 2013 Jul 8. doi: 10.1111/liv.12275. [Epub ahead of print]
22	A novel Calcium Dependent Protein Kinase Inhibitor as a lead compound for treating Cryptosporidiosis. Castellanos-Gonzalez A, White AC Jr, Ojo KK, Vidadala RS, Zhang Z, Reid MC, Fox AM, Keyloun KR, Rivas K, Irani A, Dann SM, Fan E, Dustin J, Van Voorhis WC. J Infect Dis. 2013 Jul 21. [Epub ahead of print]
23	Molecular imaging with a fluorescent antibody targeting carbonic anhydrase IX can successfully detect hypoxic ductal carcinoma in situ of the breast. van Brussel AS, Adams A, Vermeulen JF, Oliveira S, van der Wall E, Mali WP, van Diest PJ, van Bergen En Henegouwen PM. Breast Cancer Res Treat. 2013 Jul;140(2):263-72. doi: 10.1007/s10549-013-2635-6. Epub 2013 Jul 17.
24	A renewable tissue resource of phenotypically stable, biologically and ethnically diverse, patient-derived human breast cancer xenograft models. Zhang X, Claerhout S, Prat A, Dobrolecki LE, Petrovic I, Lai Q, Landis MD, Wiechmann L, Schiff R, Giuliano M, Wong H, Fuqua SW, Contreras A, Gutierrez C, Huang J, Mao S, Pavlick AC, Froehlich AM, Wu MF, Tsimelzon A, Hilsenbeck SG, Chen ES, Zuloaga P, Shaw CA, Rimawi MF, Perou CM, Mills GB, Chang JC. Cancer Res. 2013 Aug 1;73(15):4885-97. doi: 10.1158/0008-5472.CAN-12-4081. Epub 2013 Jun 4.
25	A comparative morphometric analysis of biodegradable scaffolds as carriers for dental pulp and periosteal stem cells in a model of bone regeneration. Annibali S, Cicconetti A, Cristalli MP, Giordano G, Trisi P, Pilloni A, Ottolenghi L. J Craniofac Surg. 2013 May;24(3):866-71. doi: 10.1097/SCS.0b013e31827ca530.
26	Cholesteryl butyrate solid lipid nanoparticles inhibit the proliferation of cancer cells in vitro and in vivo models. Minelli R, Occhipinti S, Gigliotti CL, Barrera G, Gasco P, Conti L, Chiocchetti A, Zara GP, Fantozzi R, Giovarelli M, Dianzani U, Dianzani C. Br J Pharmacol. 2013 May 28.
27	A novel inhibitor of proteasome deubiquitinating activity renders tumor cells sensitive to TRAIL-mediated apoptosis by natural killer cells and T cells. Sarhan D, Wennerberg E, D'Arcy P, Gurajada D, Linder S, Lundqvist A. Cancer Immunol Immunother. 2013 Aug;62(8):1359-68. doi: 10.1007/s00262-013-1439-1. Epub 2013 May
28	Construction of a single lentiviral vector containing tetracycline-inducible Alb-uPA for transduction of uPA expression in murine hepatocytes. Bai J, Li J, Mao Q. PLoS One. 2013 Apr 23;8(4):e61412.

29	Biodistribution and pharmacokinetics of EGFR-targeted thiolated gelatin nanoparticles following systemic administration in pancreatic tumor-bearing mice. Xu J, Gattacceca F, Amiji M. Mol Pharm. 2013 May 6;10(5):2031-44.
30	Antibody targeting of CD24 efficiently retards growth and influences cytokine milieu in experimental carcinomas. Salnikov AV, Bretz NP, Perne C, Hazin J, Keller S, Fogel M, Herr I, Schlange T, Moldenhauer G, Altevogt P. Br J Cancer. 2013 Apr 16;108(7):1449-59.
31	Transient treatment with epigenetic modifiers yields stable neuroblastoma stem cells resembling aggressive large-cell neuroblastomas. Ikegaki N, Shimada H, Fox AM, Regan PL, Jacobs JR, Hicks SL, Rappaport EF, Tang XX. Proc Natl Acad Sci U S A. 2013 Apr 9;110(15):6097-102.
32	Adhesion of Neisseria meningitidis to dermal vessels leads to local vascular damage and purpura in a humanized mouse model. Melican K, Michea Veloso P, Martin T, Bruneval P, Duménil G. PLoS Pathog. 2013 Jan;9(1):e1003139. doi: 10.1371/journal.ppat.1003139. Epub 2013 Jan 24.
33	Optimizing patient derived mesenchymal stem cells as virus carriers for a phase I clinical trial in ovarian cancer. Mader EK, Butler G, Dowdy SC, Mariani A, Knutson KL, Federspiel MJ, Russell SJ, Galanis E, Dietz AB, J Transl Med. 2013 Jan 24;11:20. doi: 10.1186/1479-5876-11-20.
34	A novel mouse model that closely mimics human uterine leiomyomas. Drosch M, Bullerdiek J, Zollner TM, Prinz F, Koch M, Schmidt N. Fertil Steril. 2013 Mar 1;99(3):927-935.e6. doi: 10.1016/j.fertnstert.2012.11.032. Epub 2012 Dec 20.
35	Structural analysis suggests that renin is released by compound exocytosis. Steppan D, Zügner A, Rachel R, Kurtz A. Kidney Int. 2013 Feb;83(2):233-41. doi: 10.1038/ki.2012.392. Epub 2012 Dec 12.
36	Enhancement of the anti-melanoma response of Hu14.18K322A by α CD40 + CpG. Alderson KL, Luangrath M, Elsenheimer MM, Gillies SD, Navid F, Rakhmilevich AL, Sondel PM. Cancer Immunol Immunother. 2013 Apr;62(4):665-75. doi: 10.1007/s00262-012-1372-8. Epub 2012 Nov
37	Tumor-associated macrophages promote invasion while retaining Fc-dependent anti-tumor function. Grugan KD, McCabe FL, Kinder M, Greenplate AR, Harman BC, Ekert JE, van Rooijen N, Anderson GM, Nemeth JA, Strohl WR, Jordan RE, Brezski RJ. J Immunol. 2012 Dec 1;189(11):5457-66. doi: 10.4049/jimmunol.1201889. Epub 2012 Oct 26.
38	Activated monocytes augment TRAIL-mediated cytotoxicity by human NK cells through release of IFN-γ . Sarhan D, D'Arcy P, Wennerberg E, Lidén M, Hu J, Winqvist O, Rolny C, Lundqvist A. Eur J Immunol. 2013 Jan;43(1):249-57. doi: 10.1002/eji.201242735. Epub 2012 Oct 26.
39	Adoptive transfer of Mammaglobin-A epitope specific CD8 T cells combined with a single low dose of total body irradiation eradicates breast tumors. Lerret NM, Rogozinska M, Jaramillo A, Marzo AL. PLoS One. 2012;7(7):e41240. doi: 10.1371/journal.pone.0041240. Epub 2012 Jul 20.
40	Selective small molecule Stat3 inhibitor reduces breast cancer tumor-initiating cells and improves recurrence free survival in a human-xenograft model. Dave B, Landis MD, Tweardy DJ, Chang JC, Dobrolecki LE, Wu MF, Zhang X, Westbrook TF, Hilsenbeck SG, Liu D, Lewis MT. PLoS One. 2012;7(8):e30207. doi: 10.1371/journal.pone.0030207. Epub 2012 Aug 6. Erratum in: PLoS One. 2012;7(9). doi:10.1371/annotation/753d15c8-2321-4dc5-9b84-c47bd1bd1639.
41	The human fetal lung xenograft: validation as model of microvascular remodeling in the postglandular lung. De Paepe ME, Chu S, Hall S, Heger NE, Thanos C, Mao Q. Pediatr Pulmonol. 2012 Dec;47(12):1192-203. doi: 10.1002/ppul.22617. Epub 2012 Jul 18.
42	Mechanisms of human smooth muscle cell proliferation and transplant vasculopathy induced by HLA class I antibodies: in vitro and in vivo studies. Trayssac M, Nègre-Salvayre A, Thomsen M. Hum Immunol. 2012 Dec;73(12):1253-60. doi: 10.1016/j.humimm.2012.06.012. Epub 2012 Jul 10. Review.
43	RasGRF1 regulates proliferation and metastatic behavior of human alveolar rhabdomyosarcomas. Tarnowski M, Schneider G, Amann G, Clark G, Houghton P, Barr FG, Kenner L, Ratajczak MZ, Kucia M. Int J Oncol. 2012 Sep;41(3):995-1004. doi: 10.3892/ijo.2012.1536. Epub 2012 Jun 28.
44	Immunological and nonimmunological effects of indoleamine 2,3-dioxygenase on breast tumor growth and spontaneous metastasis formation. Levina V, Su Y, Gorelik E. Clin Dev Immunol. 2012;2012:173029. doi: 10.1155/2012/173029. Epub 2012 May 13.

45	Glioblastoma-derived tumor cells induce vasculogenic mimicry through Flk-1 protein activation. Francescone R, Scully S, Bentley B, Yan W, Taylor SL, Oh D, Moral L, Shao R. J Biol Chem. 2012 Jul 13;287(29):24821-31. doi: 10.1074/jbc.M111.334540. Epub 2012 May 31.
46	Extracellular matrix constituents interfere with Newcastle disease virus spread in solid tissue and diminish its potential oncolytic activity. Yaacov B, Lazar I, Tayeb S, Frank S, Izhar U, Lotem M, Perlman R, Ben-Yehuda D, Zakay-Rones Z, Panet J Gen Virol. 2012 Aug;93(Pt 8):1664-72. doi: 10.1099/vir.0.043281-0. Epub 2012 May 23.
47	A novel modular polymer platform for the treatment of head and neck squamous cell carcinoma in an animal model. Hu D, Lau OD, Wang L, Wang G, Schaue D, Zhu L, Huang M, Lin Y, Dennis M, Abemayor E, Elashoff DA, Dubinett SM, McBride WH, Sharma S, Wu B, St John MA. Arch Otolaryngol Head Neck Surg. 2012 Apr;138(4):412-7. doi: 10.1001/archoto.2012.20.
48	Establishment and characterization of primary cell lines of squamous cell carcinoma of the penis and its Naumann CM, Sperveslage J, Hamann MF, Leuschner I, Weder L, Al-Najar AA, Lemke J, Sipos B, Jü nemann KP, Kalthoff H. J Urol. 2012 Jun;187(6):2236-42. doi: 10.1016/j.juro.2012.01.035. Epub 2012 Apr 13.
49	FDG-PET as a pharmacodynamic biomarker for early assessment of treatment response to linifanib (ABT-869) in a non-small cell lung cancer xenograft model. Mudd SR, Voorbach MJ, Reuter DR, Tapang P, Hickson JA, Refici-Buhr M, Fox GB, Albert DH, Luo Y, Day Cancer Chemother Pharmacol. 2012 Jun;69(6):1669-72. doi: 10.1007/s00280-012-1840-z. Epub 2012 Feb
50	99mTc-MAG3 scintigraphy for the longitudinal follow-up of kidney function in a mouse model of renal ischemia-reperfusion injury. Herrler T, Wang H, Tischer A, Bartenstein P, Jauch KW, Guba M, Diemling M, Nimmon C, Hacker M. EJNMMI Res. 2012 Jan 20;2:2. doi: 10.1186/2191-219X-2-2.
51	Preclinical pharmacokinetics of MEHD7945A, a novel EGFR/HER3 dual-action antibody, and prediction of its human pharmacokinetics and efficacious clinical dose. Kamath AV, Lu D, Gupta P, Jin D, Xiang H, Wong A, Leddy C, Crocker L, Schaefer G, Sliwkowski MX, Damico-Beyer LA. Cancer Chemother Pharmacol. 2012 Apr;69(4):1063-9. doi: 10.1007/s00280-011-1806-6. Epub 2011 Dec
52	Inhibition of the Notch-Hey1 axis blocks embryonal rhabdomyosarcoma tumorigenesis. Belyea BC, Naini S, Bentley RC, Linardic CM. Clin Cancer Res. 2011 Dec 1;17(23):7324-36. doi: 10.1158/1078-0432.CCR-11-1004. Epub 2011 Sep 23.
53	P190A RhoGAP is required for mammary gland development. Heckman-Stoddard BM, Vargo-Gogola T, Herrick MP, Visbal AP, Lewis MT, Settleman J, Rosen JM. Dev Biol. 2011 Dec 1;360(1):1-10. doi: 10.1016/j.ydbio.2011.09.006. Epub 2011 Sep 16.
54	Immunobiology of naïve and genetically modified HLA-class-I-knockdown human embryonic stem cells. Deuse T, Seifert M, Tyan D, Tsao PS, Hua X, Velden J, Eiermann T, Volk HD, Reichenspurner H, Robbins RC, Schrepfer S. J Cell Sci. 2011 Sep 1;124(Pt 17):3029-37. doi: 10.1242/jcs.087718. Erratum in: J Cell Sci. 2011 Dec 1;124(Pt 23):4127-8. Phillips, Neil [removed]; Fire, Andrew [removed]; Kay, Mark [removed].
55	Rhesus monkey cardiosphere-derived cells for myocardial restoration. Martens A, Gruh I, Dimitroulis D, Rojas SV, Schmidt-Richter I, Rathert C, Khaladj N, Gawol A, Chikobava MG, Martin U, Haverich A, Kutschka I. Cytotherapy. 2011 Aug;13(7):864-72. doi: 10.3109/14653249.2011.571247.
56	Course of infection with the emergent pathogen Brucella microti in immunocompromised mice. Jiménez de Bagüés MP, de Martino A, Quintana JF, Alcaraz A, Pardo J. Infect Immun. 2011 Oct;79(10):3934-9. doi: 10.1128/IAI.05542-11. Epub 2011 Aug 8.
57	Trafficking of CAR-engineered human T cells following regional or systemic adoptive transfer in SCID beige mice. Parente-Pereira AC, Burnet J, Ellison D, Foster J, Davies DM, van der Stegen S, Burbridge S, Chiapero-Stanke L, Wilkie S, Mather S, Maher J. J Clin Immunol. 2011 Aug;31(4):710-8. doi: 10.1007/s10875-011-9532-8. Epub 2011 Apr 20.
58	Upregulation of inflammatory cytokines and oncogenic signal pathways preceding tumor formation in a murine model of T-cell lymphoma in skin. Wu X, Sells RE, Hwang ST. J Invest Dermatol. 2011 Aug;131(8):1727-34. doi: 10.1038/jid.2011.89. Epub 2011 Apr 14. PMID:
59	In vivo inhibition of human CD19-targeted effector T cells by natural T regulatory cells in a xenotransplant murine model of B cell malignancy. Lee JC, Hayman E, Pegram HJ, Santos E, Heller G, Sadelain M, Brentjens R. Cancer Res. 2011 Apr 15;71(8):2871-81. doi: 10.1158/0008-5472.CAN-10-0552. Epub 2011 Apr 12.

60	The CD40 agonist antibody CP-870,893 enhances dendritic cell and B-cell activity and promotes anti-tumor efficacy in SCID-hu mice. Gladue RP, Paradis T, Cole SH, Donovan C, Nelson R, Alpert R, Gardner J, Natoli E, Elliott E, Shepard R, Cancer Immunol Immunother. 2011 Jul;60(7):1009-17. doi: 10.1007/s00262-011-1014-6. Epub 2011 Apr
61	The novel lupus antigen related protein acheron enhances the development of human breast cancer. Shao R, Scully SJ Jr, Yan W, Bentley B, Mueller J, Brown C, Bigelow C, Schwartz LM. Int J Cancer. 2012 Feb 1;130(3):544-54. doi: 10.1002/ijc.26015. Epub 2011 May 9.
62	Hepatitis B virus limits response of human hepatocytes to interferon-α in chimeric mice. Lütgehetmann M, Bornscheuer T, Volz T, Allweiss L, Bockmann JH, Pollok JM, Lohse AW, Petersen J, Gastroenterology. 2011 Jun;140(7):2074-83, 2083.e1-2. doi: 10.1053/j.gastro.2011.02.057. Epub 2011 Mar
63	Hepatic differentiation of amniotic epithelial cells. Marongiu F, Gramignoli R, Dorko K, Miki T, Ranade AR, Paola Serra M, Doratiotto S, Sini M, Sharma S, Mitamura K, Sellaro TL, Tahan V, Skvorak KJ, Ellis EC, Badylak SF, Davila JC, Hines R, Laconi E, Strom Hepatology. 2011 May;53(5):1719-29. doi: 10.1002/hep.24255.
64	Cyclosporine a mediates pathogenesis of aggressive cutaneous squamous cell carcinoma by augmenting epithelial-mesenchymal transition: role of TGFβ signaling pathway. Walsh SB, Xu J, Xu H, Kurundkar AR, Maheshwari A, Grizzle WE, Timares L, Huang CC, Kopelovich L, Elmets CA, Athar M. Mol Carcinog. 2011 Jul;50(7):516-27. doi: 10.1002/mc.20744. Epub 2011 Feb 9.
65	Peroxisome proliferator-activated receptor-gamma activation inhibits tumor metastasis by antagonizing Smad3-mediated epithelial-mesenchymal transition. Reka AK, Kurapati H, Narala VR, Bommer G, Chen J, Standiford TJ, Keshamouni VG. Mol Cancer Ther. 2010 Dec;9(12):3221-32. doi: 10.1158/1535-7163.MCT-10-0570.
66	Development of a murine model of lymph node metastases suitable for immunotoxicity studies. Egenolf DD, Rafferty P, Brosnan K, Walker M, Jordan J, Makropoulos D, Kavalkovich K, Watson S, Johns L, Volk A, Bugelski PJ. J Pharmacol Toxicol Methods. 2011 May-Jun;63(3):236-49. doi: 10.1016/j.vascn.2010.12.001. Epub 2010
67	Sunitinib (SU11248) inhibits growth of human ovarian cancer in xenografted mice. Bauerschlag DO, Schem C, Tiwari S, Egberts JH, Weigel MT, Kalthoff H, Jonat W, Maass N, Meinhold- Anticancer Res. 2010 Sep;30(9):3355-60.
68	Natural killer cells are crucial for the efficacy of Icon (factor VII/human IgG1 Fc) immunotherapy in human tongue cancer. Hu Z, Li J. BMC Immunol. 2010 Oct 12;11:49. doi: 10.1186/1471-2172-11-49.
69	Renal tubular Fas ligand mediates fratricide in cisplatin-induced acute kidney failure. Linkermann A, Himmerkus N, Rölver L, Keyser KA, Steen P, Bräsen JH, Bleich M, Kunzendorf U, Krautwald Kidney Int. 2011 Jan;79(2):169-78. doi: 10.1038/ki.2010.317. Epub 2010 Sep 1.
70	Amelioration of hepatic fibrosis by NK cell activation. Muhanna N, Abu Tair L, Doron S, Amer J, Azzeh M, Mahamid M, Friedman S, Safadi R. Gut. 2011 Jan;60(1):90-8. doi: 10.1136/gut.2010.211136. Epub 2010 Jul 26.
71	Successful eradication of established peritoneal ovarian tumors in SCID-Beige mice following adoptive transfer of T cells genetically targeted to the MUC16 antigen. Chekmasova AA, Rao TD, Nikhamin Y, Park KJ, Levine DA, Spriggs DR, Brentjens RJ. Clin Cancer Res. 2010 Jul 15;16(14):3594-606. doi: 10.1158/1078-0432.CCR-10-0192. Epub 2010 Jul 13.
72	Assessment of human MAPCs for stem cell transplantation and cardiac regeneration after myocardial infarction in SCID mice. Dimomeletis I, Deindl E, Zaruba M, Groebner M, Zahler S, Laslo SM, David R, Kostin S, Deutsch MA, Assmann G, Mueller-Hoecker J, Feuring-Buske M, Franz WM. Exp Hematol. 2010 Nov;38(11):1105-14. doi: 10.1016/j.exphem.2010.06.013. Epub 2010 Jul 29.
73	Creation and characterization of a xenograft model for human cervical cancer. Hoffmann C, Bachran C, Stanke J, Elezkurtaj S, Kaufmann AM, Fuchs H, Loddenkemper C, Schneider A, Gynecol Oncol. 2010 Jul;118(1):76-80. doi: 10.1016/j.ygyno.2010.03.019. Epub 2010 May 2. Erratum in: Gynecol Oncol. 2010 Dec;119(3):604. Fuchs, Hendrick [corrected to Fuchs, Hendrik].
74	An immunocompromised murine model of chronic Bartonella infection. Chiaraviglio L, Duong S, Brown DA, Birtles RJ, Kirby JE. Am J Pathol. 2010 Jun;176(6):2753-63. doi: 10.2353/ajpath.2010.090862. Epub 2010 Apr 15.
75	Rag2-/- gamma-chain-/- mice as hosts for human vessel transplantation and allogeneic human leukocyte reconstitution. Abele-Ohl S, Leis M, Mahmoudian S, Weyand M, Stamminger T, Ensminger SM. Transpl Immunol. 2010 May;23(1-2):59-64.

76	Immune rejection in a humanized model of murine prostate cancer. Schaue D, Koya RC, Liao YP, Ribas A, McBride WH. Anticancer Res. 2010 Feb;30(2):409-14.
77	Quantitative analysis of PD 0332991 in xenograft mouse tumor tissue by a 96-well supported liquid extraction format and liquid chromatography/mass spectrometry. Nguyen L, Zhong WZ, Painter CL, Zhang C, Rahavendran SV, Shen Z. J Pharm Biomed Anal. 2010 Nov 2;53(3):228-34.
78	Bovine lactoferricin induces caspase-independent apoptosis in human B-lymphoma cells and extends the survival of immune-deficient mice bearing B-lymphoma xenografts. Furlong SJ, Mader JS, Hoskin DW. Exp Mol Pathol. 2010 Jun;88(3):371-5.
79	A mouse model for the Sézary syndrome. Doebbeling U. J Exp Clin Cancer Res. 2010 Feb 11;29:11. doi: 10.1186/1756-9966-29-11.
80	Short-term intermittent PTH 1-34 administration enhances bone formation in SCID/Beige mice. Sheehan S, Muthusamy A, Paul E, Sikes RA, Gomes RR Jr. Endocr J. 2010;57(5):373-82.
81	MicroRNAs reduce tumor growth and contribute to enhance cytotoxicity induced by gefitinib in non-small cell lung cancer. Zhong M, Ma X, Sun C, Chen L. Chem Biol Interact. 2010 Mar 30;184(3)
82	Immunotherapy for human renal cell carcinoma by adoptive transfer of autologous transforming growth factor beta-insensitive CD8+ T cells. Wang L, Wen W, Yuan J, Helfand B, Li Y, Shi C, Tian F, Zheng J, Wang F, Chen L, Liang L, Zhou L, Lee C, Chen Z, Guo Y, Wang H, Zhang Q, Qin W. Clin Cancer Res. 2010 Jan 1;16(1):164-73.
83	HLA class I antibodies provoke graft arteriosclerosis in human arteries transplanted into SCID/beige mice. Galvani S, Augé N, Calise D, Thiers JC, Canivet C, Kamar N, Rostaing L, Abbal M, Sallusto F, Salvayre R, Böhler T, Zou Y, Stastny P, Nègre-Salvayre A, Thomsen M. Am J Transplant. 2009 Nov;9(11):2607-14.
84	Validation of the cardiosphere method to culture cardiac progenitor cells from myocardial tissue. Davis DR, Zhang Y, Smith RR, Cheng K, Terrovitis J, Malliaras K, Li TS, White A, Makkar R, Marbán E. PLoS One. 2009 Sep 25;4(9):e7195.
85	Chimeric antigen receptors combining 4-1BB and CD28 signaling domains augment PI3kinase/AKT/Bcl-XL activation and CD8+ T cell-mediated tumor eradication. Zhong XS, Matsushita M, Plotkin J, Riviere I, Sadelain M. Suthanthiran M, Hojo M, Maluccio M, Boffa DJ, Trans Am Clin Climatol Assoc. 2009;120:369-88.
86	A novel animal model of Borrelia recurrentis louse-borne relapsing fever borreliosis using immunodeficient mice. Larsson C, Lundqvist J, van Rooijen N, Bergström S. PLoS Negl Trop Dis. 2009 Sep 29;3(9):e522.
87	Validation of the cardiosphere method to culture cardiac progenitor cells from myocardial tissue. Davis DR, Zhang Y, Smith RR, Cheng K, Terrovitis J, Malliaras K, Li TS, White A, Makkar R, Marbán E. PLoS One. 2009 Sep 25;4(9):e7195.
88	Chimeric antigen receptors combining 4-1BB and CD28 signaling domains augment PI3kinase/AKT/Bcl-XL activation and CD8+ T cell-mediated tumor eradication. hong XS, Matsushita M, Plotkin J, Riviere I, Sadelain M. Mol Ther. 2010 Feb;18(2):413-20.
89	Post-transplantation malignancy: a cell autonomous mechanism with implications for therapy. Suthanthiran M, Hojo M, Maluccio M, Boffa DJ, Luan FL.Guévin C, Lamarre A, Labonté P. Antiviral Res. 2009 Oct;84(1):14-22.
90	Adult human mesenchymal stem cells enhance breast tumorigenesis and promote hormone independence. Rhodes LV, Muir SE, Elliott S, Guillot LM, Antoon JW, Penfornis P, Tilghman SL, Salvo VA, Fonseca JP, Lacey MR, Beckman BS, McLachlan JA, Rowan BG, Pochampally R, Burow ME. Breast Cancer Res Treat. 2010 Jun;121(2):293-300.
91	Effects of B cell depletion on T cell allogeneic immune responses: a strategy to reduce allogeneic sensitization. Tsai MK, Chien HF, Tzeng MC, Lee PH. Transpl Immunol. 2009 Sep;21(4):215-20.
92	Tumoricidal effects of activated macrophages in a mouse model of chronic lymphocytic leukemia. Wu QL, Buhtoiarov IN, Sondel PM, Rakhmilevich AL, Ranheim EA. J Immunol. 2009 Jun 1;182(11):6771-8. doi: 10.4049/jimmunol.0801847.

93	Osteosclerotic prostate cancer metastasis to murine bone are enhanced with increased bone formation. Gomes RR Jr, Buttke P, Paul EM, Sikes RA. Clin Exp Metastasis. 2009;26(7):641-51.
94	Prolonged osteogenesis from human mesenchymal stem cells implanted in immunodeficient mice by using coralline hydroxyapatite incorporating rhBMP2 microspheres. Fu K, Xu Q, Czernuszka J, McKenna CE, Ebetino FH, Russell RG, Triffitt JT, Xia Z. J Biomed Mater Res A. 2010 Mar 15;92(4):1256-64.
95	Prolonged survival of microencapsulated neonatal porcine islet xenografts in immune-competent mice without antirejection therapy. Kobayashi T, Arefanian H, Harb G, Tredget EB, Rajotte RV, Korbutt GS, Rayat GR. Cell Transplant. 2008;17(10-11):1243-56.
96	[Growing of human embryonic stem cells on feeders derived from themselves]. An SM, Zeng Q, Teng XY, Long ZG, Li J, Pan Q, Wu LQ, Liang DS, Xia K, Xia JH, Zhang ZH. Yi Chuan. 2008 Dec;30(12):1567-73. Chinese.
97	Pluripotin combined with leukemia inhibitory factor greatly promotes the derivation of embryonic stem cell lines from refractory strains. Yang W, Wei W, Shi C, Zhu J, Ying W, Shen Y, Ye X, Fang L, Duo S, Che J, Shen H, Ding S, Deng H. Stem Cells. 2009 Feb;27(2):383-9. doi: 10.1634/stemcells.2008-0974.
98	Multimodal evaluation of in vivo magnetic resonance imaging of myocardial restoration by mouse embryonic stem Hendry SL 2nd, van der Bogt KE, Sheikh AY, Arai T, Dylla SJ, Drukker M, McConnell MV, Kutschka I, Hoyt G, Cao F, Weissman IL, Connolly AJ, Pelletier MP, Wu JC, Robbins RC, Yang PC. J Thorac Cardiovasc Surg. 2008 Oct;136(4):1028-1037.
99	Monitoring the efficacy of adoptively transferred prostate cancer-targeted human T lymphocytes with PET and bioluminescence imaging. Dobrenkov K, Olszewska M, Likar Y, Shenker L, Gunset G, Cai S, Pillarsetty N, Hricak H, Sadelain M, J Nucl Med. 2008 Jul;49(7):1162-70.
100	CCR7 regulates B16 murine melanoma cell tumorigenesis in skin. Fang L, Lee VC, Cha E, Zhang H, Hwang ST. J Leukoc Biol. 2008 Oct;84(4):965-72.
101	Cooperative role of macrophages and neutrophils in host Antiprotozoan resistance in mice acutely infected with Cryptosporidium parvum. Takeuchi D, Jones VC, Kobayashi M, Suzuki F. Infect Immun. 2008 Aug;76(8):3657-63.
102	Fates and osteogenic differentiation potential of human mesenchymal stem cells in immunocompromised mice. Xia Z, Locklin RM, Triffitt JT. Eur J Cell Biol. 2008 Jun;87(6):353-64.
103	Role of polymorphonuclear neutrophils on infectious complications stemming from Enterococcus faecalis oral infection in thermally injured mice. Tsuda Y, Shigematsu K, Kobayashi M, Herndon DN, Suzuki F. J Immunol. 2008 Mar 15;180(6):4133-8.
104	Targeting Bcl-2 family members with the BH3 mimetic AT-101 markedly enhances the therapeutic effects of chemotherapeutic agents in in vitro and in vivo models of B-cell lymphoma. Paoluzzi L, Gonen M, Gardner JR, Mastrella J, Yang D, Holmlund J, Sorensen M, Leopold L, Manova K, Marcucci G, Heaney ML, O'Connor OA. Blood. 2008 Jun 1;111(11):5350-8.
105	CD40 ligation in vivo can induce T cell independent antitumor effects even against immunogenic tumors. Rakhmilevich AL, Buhtoiarov IN, Malkovsky M, Sondel PM. Cancer Immunol Immunother. 2008 Aug;57(8):1151-60. doi: 10.1007/s00262-007-0447-4. Epub 2008 Jan
106	Reconstitution of immunodeficient SCID/beige mice with human cells: applications in preclinical studies. Thomsen M, Galvani S, Canivet C, Kamar N, Böhler T. Toxicology. 2008 Apr 3;246(1):18-23.
107	The heat shock protein HSP70 promotes mouse NK cell activity against tumors that express inducible NKG2D Elsner L, Muppala V, Gehrmann M, Lozano J, Malzahn D, Bickeböller H, Brunner E, Zientkowska M, Herrmann T, Walter L, Alves F, Multhoff G, Dressel R. J Immunol. 2007 Oct 15;179(8):5523-33.
108	Characterization of the role of CD8+T cells in breast cancer immunity following mammaglobin-A DNA vaccination using HLA-class-I tetramers. Bharat A, Benshoff N, Fleming TP, Dietz JR, Gillanders WE, Mohanakumar T. Breast Cancer Res Treat. 2008 Aug;110(3):453-63.

109	Genetically targeted T cells eradicate systemic acute lymphoblastic leukemia xenografts. Brentjens RJ, Santos E, Nikhamin Y, Yeh R, Matsushita M, La Perle K, Quintás-Cardama A, Larson SM, Clin Cancer Res. 2007 Sep 15;13(18 Pt 1):5426-35.
110	Dependency of the trans vivo delayed type hypersensitivity response on the action of regulatory T cells: implications for monitoring transplant tolerance. Warnecke G, Chapman SJ, Bushell A, Hernandez-Fuentes M, Wood KJ. Transplantation. 2007 Aug 15;84(3):392-9.
111	Superiority of extended neoadjuvant chemotherapy with gemcitabine in pancreatic cancer: a comparative analysis in a clinically adapted orthotopic xenotransplantation model in SCID beige mice. Egberts JH, Schniewind B, Sipos B, Hinz S, Kalthoff H, Tepel J. Cancer Biol Ther. 2007 Aug;6(8):1227-32.
112	Total loss of HLA class I expression on a melanoma cell line after growth in nude mice in absence of autologous antitumor immune response. Paco L, Garcia-Lora AM, Casares C, Cabrera C, Algarra I, Collado A, Maleno I, Garrido F, Lopez-Nevot MA. Int J Cancer. 2007 Nov 1;121(9):2023-30.
113	Derivation of engraftable skeletal myoblasts from human embryonic stem cells. Barberi T, Bradbury M, Dincer Z, Panagiotakos G, Socci ND, Studer L. Nat Med. 2007 May;13(5):642-8.
114	Establishment of a novel orthotopic xenograft model of human gallbladder carcinoma. Egberts JH, Schniewind B, Schafmayer C, Kruse ML, Sipos B, Fändrich F, Kalthoff H, Tepel J. Clin Exp Metastasis. 2007;24(3):141-8.
115	Therapeutic targeting of CC ligand 21 or CC chemokine receptor 7 abrogates pulmonary fibrosis induced by the adoptive transfer of human pulmonary fibroblasts to immunodeficient mice. Pierce EM, Carpenter K, Jakubzick C, Kunkel SL, Flaherty KR, Martinez FJ, Hogaboam CM. Am J Pathol. 2007 Apr;170(4):1152-64.
116	Immunomodulatory properties of FK734, a humanized anti-CD28 monoclonal antibody with agonistic and antagonistic activities. Shiao SL, McNiff JM, Masunaga T, Tamura K, Kubo K, Pober JS. Transplantation. 2007 Feb 15;83(3):304-13.
117	Macrophages are essential for antitumour effects against weakly immunogenic murine tumours induced by class B CpG-oligodeoxynucleotides. Buhtoiarov IN, Sondel PM, Eickhoff JC, Rakhmilevich AL. Immunology. 2007 Mar;120(3):412-23. Epub 2006 Dec 8.
118	Horse embryonic stem cell lines from the proliferation of inner cell mass cells. Li X, Zhou SG, Imreh MP, Ahrlund-Richter L, Allen WR. Stem Cells Dev. 2006 Aug;15(4):523-31.
119	Vascularization and engraftment of a human skin substitute using circulating progenitor cell-derived endothelial Shepherd BR, Enis DR, Wang F, Suarez Y, Pober JS, Schechner JS. FASEB J. 2006 Aug;20(10):1739-41.
120	The molecular biology of pulmonary metastasis. Krishnan K, Khanna C, Helman LJ. Thorac Surg Clin. 2006 May;16(2):115-24. Review.
121	Innate immune response to human bone marrow fibroblastic cell implantation in CB17 scid/beige mice. Xia Z, Taylor PR, Locklin RM, Gordon S, Cui Z, Triffitt JT. J Cell Biochem. 2006 Jul 1;98(4):966-80.
122	Host-specific response to HCV infection in the chimeric SCID-beige/Alb-uPA mouse model: role of the innate antiviral immune response. Walters KA, Joyce MA, Thompson JC, Smith MW, Yeh MM, Proll S, Zhu LF, Gao TJ, Kneteman NM, Tyrrell DL, Katze MG. PLoS Pathog. 2006 Jun;2(6)
123	Multiple human mesenteric arterial grafts from the same donor to study human chronic vascular rejection in humanized SCID/beige mice. Marcheix B, Yacoub-Youssef H, Calise D, Thiers JC, Therville N, Benoist H, Blaes N, Ségui B, Game X, Dambrin C, Thomsen M. J Heart Lung Transplant. 2006 Jun;25(6):675-82.
124	Application of functional genomics to the chimeric mouse model of HCV infection: optimization of microarray protocols and genomics analysis. Walters KA, Joyce MA, Thompson JC, Proll S, Wallace J, Smith MW, Furlong J, Tyrrell DL, Katze MG. Virol J. 2006 May 25;3:37.

125	Control of metastasized pancreatic carcinomas in SCID/beige mice with human IL-2/TKD-activated NK cells. Stangl S, Wortmann A, Guertler U, Multhoff G. J Immunol. 2006 May 15;176(10):6270-6.
126	In vivo CD40 ligation can induce T-cell-independent antitumor effects that involve macrophages. Lum HD, Buhtoiarov IN, Schmidt BE, Berke G, Paulnock DM, Sondel PM, Rakhmilevich AL. J Leukoc Biol. 2006 Jun;79(6):1181-92.
127	Adjuvant treatment of pancreatic carcinoma in a clinically adapted mouse resection model. Tepel J, Kruse ML, Kapischke M, Haye S, Sipos B, Kremer B, Kalthoff H. Pancreatology. 2006;6(3):240-7.
128	Anti-fibrotic activity of NK cells in experimental liver injury through killing of activated HSC. Melhem A, Muhanna N, Bishara A, Alvarez CE, Ilan Y, Bishara T, Horani A, Nassar M, Friedman SL, Safadi J Hepatol. 2006 Jul;45(1):60-71.
129	Evaluation of ex vivo expanded human NK cells on antileukemia activity in SCID-beige mice. Guimarães F, Guven H, Donati D, Christensson B, Ljunggren HG, Bejarano MT, Dilber MS. Leukemia. 2006 May;20(5):833-9.
130	Hypoxia- and radiation-inducible, breast cell-specific targeting of retroviral vectors. Lipnik K, Greco O, Scott S, Knapp E, Mayrhofer E, Rosenfellner D, Günzburg WH, Salmons B, Hohenadl C. Virology. 2006 May 25;349(1):121-33.
131	Engraftment of human T, B and NK cells in CB.17 SCID/beige mice by transfer of human spleen cells. Yacoub-Youssef H, Marcheix B, Calise D, Thiers JC, Therville N, Benoist H, Blaes N, Ségui B, Dambrin C, Transpl Immunol. 2005 Dec;15(2):157-64.
132	Anti-CD3 x anti-epidermal growth factor receptor (EGFR) bispecific antibody redirects T-cell cytolytic activity to EGFR-positive cancers in vitro and in an animal model. Reusch U, Sundaram M, Davol PA, Olson SD, Davis JB, Demel K, Nissim J, Rathore R, Liu PY, Lum LG. Clin Cancer Res. 2006 Jan 1;12(1):183-90.
133	Caspase activation and apoptosis induction by adalimumab: demonstration in vitro and in vivo in a chimeric mouse Shen C, Van Assche G, Rutgeerts P, Ceuppens JL. Inflamm Bowel Dis. 2006 Jan;12(1):22-8.
134	Synergistic activation of macrophages via CD40 and TLR9 results in T cell independent antitumor effects. Buhtoiarov IN, Lum HD, Berke G, Sondel PM, Rakhmilevich AL. J Immunol. 2006 Jan 1;176(1):309-18.
135	Allopurinol/uricase and ibuprofen enhance engraftment of cardiomyocyte-enriched human embryonic stem cells and improve cardiac function following myocardial injury. Kofidis T, Lebl DR, Swijnenburg RJ, Greeve JM, Klima U, Robbins RC. Eur J Cardiothorac Surg. 2006 Jan;29(1):50-5.
136	Suppression of hepatocellular carcinoma growth in mice via leptin, is associated with inhibition of tumor cell growth and natural killer cell activation. Elinav E, Abd-Elnabi A, Pappo O, Bernstein I, Klein A, Engelhardt D, Rabbani E, Ilan Y. J Hepatol. 2006 Mar;44(3):529-36.
137	Human immune reconstitution with spleen cells in SCID/Beige mice. Marcheix B, Yacoub-Youssef H, Calise D, Thiers JC, Benoist H, Blaes N, Ségui B, Thomsen M, Dambrin C. Transplant Proc. 2005 Jul-Aug;37(6):2888-9.
138	Chronic vascular rejection: histologic comparison between two murine experimental models. Yacoub-Youssef H, Marcheix B, Calise D, Thiers JC, Benoist H, Blaes N, Ségui B, Dambrin C, Thomsen M. Transplant Proc. 2005 Jul-Aug;37(6):2886-7.
139	Significant growth inhibition of orthotopic pancreatic ductal adenocarcinoma by CpG oligonucleotides in immunodeficient mice. Tepel J, Dagvadorj O, Kapischke M, Sipos B, Leins A, Kremer B, Kalthoff H. Int J Colorectal Dis. 2006 May;21(4):365-72.
140	CD40 ligation activates murine macrophages via an IFN-gamma-dependent mechanism resulting in tumor cell destruction in vitro. Buhtoiarov IN, Lum H, Berke G, Paulnock DM, Sondel PM, Rakhmilevich AL. J Immunol. 2005 May 15;174(10):6013-22.
141	Use of human mesenteric arteries to study chronic vascular rejection in SCID/beige mice reconstituted with human spleen cells. Yacoub-Youssef H, Marcheix B, Calise D, Thiers JC, Benoist H, Blaes N, Ségui B, Dambrin C, Thomsen M. Transplant Proc. 2005 Jan-Feb;37(1):75-6.

142	Impact of human neutralizing antibodies on antitumor efficacy of an oncolytic adenovirus in a murine model. Tsai V, Johnson DE, Rahman A, Wen SF, LaFace D, Philopena J, Nery J, Zepeda M, Maneval DC, Demers GW, Ralston R. Clin Cancer Res. 2004 Nov 1;10(21):7199-206.
143	Isolation and expansion of adult cardiac stem cells from human and murine heart. Messina E, De Angelis L, Frati G, Morrone S, Chimenti S, Fiordaliso F, Salio M, Battaglia M, Latronico MV, Coletta M, Vivarelli E, Frati L, Cossu G, Giacomello A. Circ Res. 2004 Oct 29;95(9):911-21.
144	NK cell activation and tumor infiltration are involved in the antitumor mechanism of Virulizin. Cao MY, Lee Y, Feng N, Li H, Du C, Miao D, Li J, Lee V, Jin H, Wang M, Gu X, Wright JA, Young AH. Cancer Immunol Immunother. 2005 Mar;54(3):229-42.
145	Organized development from human embryonic stem cells after injection into immunodeficient mice. Gertow K, Wolbank S, Rozell B, Sugars R, Andäng M, Parish CL, Imreh MP, Wendel M, Ahrlund-Richter L. Stem Cells Dev. 2004 Aug;13(4):421-35.
146	Treatment of experimental breast cancer using interleukin-12 gene therapy combined with anti-vascular endothelial growth factor receptor-2 antibody. Rakhmilevich AL, Hooper AT, Hicklin DJ, Sondel PM. Mol Cancer Ther. 2004 Aug;3(8):969-76.
147	Vascular cell adhesion molecule-1-targeted detection of endothelial activation in human microvasculature. Sadeghi MM, Schechner JS, Krassilnikova S, Gharaei AA, Zhang J, Kirkiles-Smith N, Sinusas AJ, Zaret BL, Transplant Proc. 2004 Jun;36(5):1585-91.
148	Porcine cell microchimerism but lack of productive porcine endogenous retrovirus (PERV) infection in naive and humanized SCID-beige mice treated with porcine peripheral blood mononuclear cells. Kuddus RH, Metes DM, Nalesnik MA, Logar AJ, Rao AS, Fung JJ. Transpl Immunol. 2004 Jun-Jul;13(1):15-24.
149	Redirected T-cell cytotoxicity to epithelial cell adhesion molecule-overexpressing adenocarcinomas by a novel recombinant antibody, E3Bi, in vitro and in an animal model. Ren-Heidenreich L, Davol PA, Kouttab NM, Elfenbein GJ, Lum LG. Cancer. 2004 Mar 1;100(5):1095-103.
150	Insulin expressing cells from differentiated embryonic stem cells are not beta cells. Sipione S, Eshpeter A, Lyon JG, Korbutt GS, Bleackley RC. Diabetologia. 2004 Mar;47(3):499-508.
151	IL-11 protects human microvascular endothelium from alloinjury in vivo by induction of survivin expression. Kirkiles-Smith NC, Mahboubi K, Plescia J, McNiff JM, Karras J, Schechner JS, Altieri DC, Pober JS. J Immunol. 2004 Feb 1;172(3):1391-6.
152	Bioluminescent imaging (BLI) to improve and refine traditional murine models of tumor growth and metastasis. Jenkins DE, Oei Y, Hornig YS, Yu SF, Dusich J, Purchio T, Contag PR. Clin Exp Metastasis. 2003;20(8):733-44.
153	Terminally modified oligodeoxynucleotides directed against p53 in an orthotopic xenograft model: a novel adjuvant treatment strategy for pancreatic ductal carcinoma. Tepel J, Kruse ML, March C, Fiedler A, Kapischke M, Ketterer T, Sipos B, Kremer B, Kalthoff H. Pancreas. 2004 Jan;28(1):1-12.
154	NK cells mediate Flt3 ligand-induced protection of dendritic cell precursors in vivo from the inhibition by prostate carcinoma in the murine bone marrow metastasis model. Tourkova IL, Yamabe K, Chatta G, Shurin GV, Shurin MR. J Immunother. 2003 Nov-Dec;26(6):468-72.
155	Rapamycin is an effective inhibitor of human renal cancer metastasis. Luan FL, Ding R, Sharma VK, Chon WJ, Lagman M, Suthanthiran M. Kidney Int. 2003 Mar;63(3):917-26.
156	Eradication of systemic B-cell tumors by genetically targeted human T lymphocytes co-stimulated by CD80 and interleukin-15. Brentjens RJ, Latouche JB, Santos E, Marti F, Gong MC, Lyddane C, King PD, Larson S, Weiss M, Rivière I, Sadelain M. Nat Med. 2003 Mar;9(3):279-86.
157	Bacterial colonization and the expression of inducible nitric oxide synthase in murine wounds. Mahoney E, Reichner J, Bostom LR, Mastrofrancesco B, Henry W, Albina J. Am J Pathol. 2002 Dec;161(6):2143-52.
158	In vivo antitumor activity of Sindbis viral vectors. Tseng JC, Levin B, Hirano T, Yee H, Pampeno C, Meruelo D. J Natl Cancer Inst. 2002 Dec 4;94(23):1790-802.

159	Anaplastic neoplasms arising from basal cellcarcinoma xenotransplants into SCID-beige mice. Carlson JA, Combates NJ, Stenn KS, Prouty SM. J Cutan Pathol. 2002 May;29(5):268-78.
160	Rapamycin blocks tumor progression: unlinking immunosuppression from antitumor efficacy. Luan FL, Hojo M, Maluccio M, Yamaji K, Suthanthiran M. Transplantation. 2002 May 27;73(10):1565-72.
161	Characterization of an anti-MUC1 monoclonal antibody with potential as a cancer vaccine. Qi W, Schultes BC, Liu D, Kuzma M, Decker W, Madiyalakan R. Hybrid Hybridomics. 2001;20(5-6):313-24.
162	Human mesenchymal stem cells differentiate to a cardiomyocyte phenotype in the adult murine heart. Toma C, Pittenger MF, Cahill KS, Byrne BJ, Kessler PD. Circulation. 2002 Jan 1;105(1):93-8.
163	Feeder-free growth of undifferentiated human embryonic stem cells. Xu C, Inokuma MS, Denham J, Golds K, Kundu P, Gold JD, Carpenter MK. Nat Biotechnol. 2001 Oct;19(10):971-4.
164	Mechanism of antitumor activity of a single-chain interleukin-12 IgG3 antibody fusion protein (mscIL-12.her2.IgG3). Peng LS, Penichet ML, Dela Cruz JS, Sampogna SL, Morrison SL. J Interferon Cytokine Res. 2001 Sep;21(9):709-20.
165	Eradication of intraperitoneal and distant tumor by adenovirus-mediated interferon-beta gene therapy is attributable to induction of systemic immunity. Odaka M, Sterman DH, Wiewrodt R, Zhang Y, Kiefer M, Amin KM, Gao GP, Wilson JM, Barsoum J, Kaiser LR, Albelda SM. Cancer Res. 2001 Aug 15;61(16):6201-12.
166	Patterns of engraftment in different strains of immunodeficient mice reconstituted with human peripheral blood lymphocytes. Berney T, Molano RD, Pileggi A, Cattan P, Li H, Ricordi C, Inverardi L. Transplantation. 2001 Jul 15;72(1):133-40.
167	Enhanced protection against fatal mycobacterial infection in SCID beige mice by reshaping innate immunity with IFN-gamma transgene. Xing Z, Zganiacz A, Wang J, Sharma SK. J Immunol. 2001 Jul 1;167(1):375-83.
168	Humoral hypercalcemia of malignancy: severe combined immunodeficient/beige mouse model of adult T-cell lymphoma independent of human T-cell lymphotropic virus type-1 tax expression. Richard V, Lairmore MD, Green PL, Feuer G, Erbe RS, Albrecht B, D'Souza C, Keller ET, Dai J, Rosol TJ. Am J Pathol. 2001 Jun;158(6):2219-28.
169	Vascular endothelial growth factor/vascular permeability factor in the pathogenesis of primary effusion lymphomas. Aoki Y, Tosato G. Leuk Lymphoma. 2001 Apr;41(3-4):229-37. Review.
170	Specific depletion of human anti-adenovirus antibodies facilitates transduction in an in vivo model for systemic gene therapy. Rahman A, Tsai V, Goudreau A, Shinoda JY, Wen SF, Ramachandra M, Ralston R, Maneval D, LaFace D, Mol Ther. 2001 May;3(5 Pt 1):768-78.
171	Dendritic cells armed with anti-CD3 mAbs reduce pulmonary metastases, prolong survival, and engender antitumor effector cells demonstrable by adoptive transfer. Maluccio MA, Rao J, Sharma V, Lagman M, Suthanthiran M. Ann Surg Oncol. 2000 Dec;7(10):771-6.
172	Multiple roles for Bordetella lipopolysaccharide molecules during respiratory tract infection. Harvill ET, Preston A, Cotter PA, Allen AG, Maskell DJ, Miller JF. Infect Immun. 2000 Dec;68(12):6720-8.
173	Adoptive transfer of human natural killer cells in mice with severe combined immunodeficiency inhibits growth of Hsp70-expressing tumors. Multhoff G, Pfister K, Botzler C, Jordan A, Scholz R, Schmetzer H, Burgstahler R, Hiddemann W. Int J Cancer. 2000 Dec 1;88(5):791-7.
174	Clonally derived human embryonic stem cell lines maintain pluripotency and proliferative potential for prolonged periods of culture. Amit M, Carpenter MK, Inokuma MS, Chiu CP, Harris CP, Waknitz MA, Itskovitz-Eldor J, Thomson JA. Dev Biol. 2000 Nov 15;227(2):271-8.
175	A low-level expression of human MUC1 mucin enhances lethality of murine tumor cells. Zimmermann GL, Krantz MJ, Kane KP, Longenecker BM. Cancer Immunol Immunother. 2000 Aug;49(6):305-13.

176	Experimentally induced pneumonia in scid/beige mice, using a bovine isolate of Pasteurella haemolytica. Thorn CE, Papp JR, Shewen PE, Stirtzinger T. Comp Med. 2000 Apr;50(2):153-9.
177	Cationic lipid:bacterial DNA complexes elicit adaptive cellular immunity in murine intraperitoneal tumor models. Lanuti M, Rudginsky S, Force SD, Lambright ES, Siders WM, Chang MY, Amin KM, Kaiser LR, Scheule RK, Albelda SM. Cancer Res. 2000 Jun 1;60(11):2955-63.
178	Human TNF can induce nonspecific inflammatory and human immune-mediated microvascular injury of pig skin xenografts in immunodeficient mouse hosts. Kirkiles-Smith NC, Tereb DA, Kim RW, McNiff JM, Schechner JS, Lorber MI, Pober JS, Tellides G. J Immunol. 2000 Jun 15;164(12):6601-9.
179	Treatment of human breast cancer cells with antisense RNA to the type I insulin-like growth factor receptor inhibits cell growth, suppresses tumorigenesis, alters the metastatic potential, and prolongs survival in vivo. Chernicky CL, Yi L, Tan H, Gan SU, Ilan J. Cancer Gene Ther. 2000 Mar;7(3):384-95.
180	Development and assessment of a general theory of cervical carcinogenesis utilizing a severe combined immunodeficiency murine-human xenograft model. Tewari KS, Taylor JA, Liao SY, DiSaia PJ, Burger RA, Monk BJ, Hughes CC, Villarreal LP. Gynecol Oncol. 2000 Apr;77(1):137-48.
181	Modulation of host immune responses, induction of apoptosis and inhibition of NF-kappaB activation by the Bordetella type III secretion system. Yuk MH, Harvill ET, Cotter PA, Miller JF. Mol Microbiol. 2000 Mar;35(5):991-1004.
182	NK cells mediate the anti-tumor effects of E1-deleted, type 5 adenovirus in a human tumor xenograft model. Nielsen LL. Oncol Rep. 2000 Jan-Feb;7(1):151-5.
183	Role of vascular endothelial growth factor/vascular permeability factor in the pathogenesis of Kaposi's sarcoma-associated herpesvirus-infected primary effusion lymphomas. Aoki Y, Tosato G. Blood. 1999 Dec 15;94(12):4247-54.
184	Pregenomic comparative analysis between bordetella bronchiseptica RB50 and Bordetella pertussis tohama I in murine models of respiratory tract infection. Harvill ET, Cotter PA, Miller JF. Infect Immun. 1999 Nov;67(11):6109-18.
185	Cadaveric skin allograft-associated cytomegalovirus transmission in a mouse model of thermal injury. Kobayashi H, Kobayashi M, McCauley RL, Herndon DN, Pollard RB, Suzuki F. Clin Immunol. 1999 Aug;92(2):181-7.
186	African swine fever virus: a B cell-mitogenic virus in vivo and in vitro. Takamatsu H, Denyer MS, Oura C, Childerstone A, Andersen JK, Pullen L, Parkhouse RM. J Gen Virol. 1999 Jun;80 (Pt 6):1453-61.
187	IL-12, independently of IFN-gamma, plays a crucial role in the pathogenesis of a murine psoriasis-like skin Hong K, Chu A, Lúdvíksson BR, Berg EL, Ehrhardt RO. J Immunol. 1999 Jun 15;162(12):7480-91.
188	Immunohistochemical analysis, human papillomavirus DNA detection, hormonal manipulation, and exogenous gene expression of normal and dysplastic human cervical epithelium in severe combined immunodeficiency mice. Taylor JA, Tewari K, Liao SY, Hughes CC, Villarreal LP. J Virol. 1999 Jun;73(6):5144-8.
189	Evaluation of three lines of immunodeficient mice for the study of spontaneous metastatic tumors. Gallo-Hendrikx E, Percy D, Copps J, McKeown B, Quinton M, McMillan I, Croy BA, Wildeman AG. APMIS. 1999 Feb;107(2):245-56.
190	Human allogeneic vascular rejection after arterial transplantation and peripheral lymphoid reconstitution in severe combined immunodeficient mice. Lorber MI, Wilson JH, Robert ME, Schechner JS, Kirkiles N, Qian HY, Askenase PW, Tellides G, Pober JS. Transplantation. 1999 Mar 27;67(6):897-903.
191	The SCID/Beige mouse as a model to investigate protection against Yersinia pestis. Green M, Rogers D, Russell P, Stagg AJ, Bell DL, Eley SM, Titball RW, Williamson ED. FEMS Immunol Med Microbiol. 1999 Feb;23(2):107-13.

192	Cyclosporine induces cancer progression by a cell-autonomous mechanism. Hojo M, Morimoto T, Maluccio M, Asano T, Morimoto K, Lagman M, Shimbo T, Suthanthiran M. Nature. 1999 Feb 11;397(6719):530-4.
193	Probing the function of Bordetella bronchiseptica adenylate cyclase toxin by manipulating host immunity. Harvill ET, Cotter PA, Yuk MH, Miller JF. Infect Immun. 1999 Mar;67(3):1493-500.
194	IL-10 gene transfer to intracranial 9L glioma: tumor inhibition and cooperation with IL-2. Book AA, Fielding KE, Kundu N, Wilson MA, Fulton AM, Laterra J. J Neuroimmunol. 1998 Dec 1;92(1-2):50-9.
195	Experimental campylobacter infection and diarrhoea in immunodeficient mice. Hodgson AE, McBride BW, Hudson MJ, Hall G, Leach SA. J Med Microbiol. 1998 Sep;47(9):799-809.
196	Differential Hsp70 plasma-membrane expression on primary human tumors and metastases in mice with severe combined immunodeficiency. Botzler C, Schmidt J, Luz A, Jennen L, Issels R, Multhoff G. Int J Cancer. 1998 Sep 11;77(6):942-8.
197	Dermal microvascular injury in the human peripheral blood lymphocyte reconstituted-severe combined immunodeficient (HuPBL-SCID) mouse/skin allograft model is T cell mediated and inhibited by a combination of cyclosporine and rapamycin. Murray AG, Schechner JS, Epperson DE, Sultan P, McNiff JM, Hughes CC, Lorber MI, Askenase PW, Am J Pathol. 1998 Aug;153(2):627-38.
198	Infection of the laboratory mouse with the intracellular pathogen Ehrlichia chaffeensis. Winslow GM, Yager E, Shilo K, Collins DN, Chu FK. Infect Immun. 1998 Aug;66(8):3892-9.
199	Suppression of tumorigenicity and metastasis in murine UV-2237 fibrosarcoma cells by infection with a retroviral vector harboring the interferon-beta gene. Dong Z, Juang SH, Kumar R, Eue I, Xie K, Bielenberg D, Lu W, Bucana C, Yang X, Fidler IJ. Cancer Immunol Immunother. 1998 May;46(3):137-46.
200	Interleukin-6 produced by pancreatic carcinoma cells enhances humoral immune responses against tumor cells: a possible event in tumor regression. Saito K, Ishikura H, Kishimoto T, Kawarada Y, Yano T, Takahashi T, Kato H, Yoshiki T. Int J Cancer. 1998 Jan 19;75(2):284-9.
201	Effects of immunotherapy on experimental immunodeficiency-related lymphoproliferative disease. Randhawa PS, Whiteside TL, Zeevi A, Elder EM, Rao AS, Demetris AJ, Weng X, Valdivia LA, Rakela J, Transplantation. 1998 Jan 27;65(2):264-8.
202	Inhibitory effects of the antiangiogenic agent TNP-470 on establishment and growth of hematogenous metastasis of human pancreatic carcinoma in SCID beige mice in vivo. Kawarada Y, Ishikura H, Kishimoto T, Saito K, Takahashi T, Kato H, Yoshiki T. Pancreas. 1997 Oct;15(3):251-7.
203	Interleukin-10 inhibits tumor metastasis, downregulates MHC class I, and enhances NK lysis. Kundu N, Fulton AM. Cell Immunol. 1997 Aug 25;180(1):55-61.
204	Nonspecific immune responses and mechanisms of resistance to Eimeria papillata infections in mice. Schito ML, Barta JR. Infect Immun. 1997 Aug;65(8):3165-70.
205	An HSVtk-mediated local and distant antitumor bystander effect in tumors of head and neck origin in athymic Bi W, Kim YG, Feliciano ES, Pavelic L, Wilson KM, Pavelic ZP, Stambrook PJ. Cancer Gene Ther. 1997 Jul-Aug;4(4):246-52.
206	Granulocyte-macrophage colony-stimulating factor and B7-2 combination immunogene therapy in an allogeneic Hu-PBL-SCID/beige mouse-human glioblastoma multiforme model. Parney IF, Petruk KC, Zhang C, Farr-Jones M, Sykes DB, Chang LJ. Hum Gene Ther. 1997 Jun 10;8(9):1073-85.
207	Protection of hu-PBL-SCID/beige mice from HIV-1 infection by a 6-mer modified oligonucleotide, R-95288. Agatsuma T, Abe K, Furukawa H, Koga R, Koizumi M, Hotoda H, Kaneko M. Antiviral Res. 1997 May;34(3):121-30.
208	Gap junctions promote the bystander effect of herpes simplex virus thymidine kinase in vivo. Dilber MS, Abedi MR, Christensson B, Björkstrand B, Kidder GM, Naus CC, Gahrton G, Smith CI. Cancer Res. 1997 Apr 15;57(8):1523-8.

209	Scatter factor/hepatocyte growth factor gene transfer enhances glioma growth and angiogenesis in vivo. Laterra J, Nam M, Rosen E, Rao JS, Lamszus K, Goldberg ID, Johnston P. Lab Invest. 1997 Apr;76(4):565-77.
210	New immunodeficient (nude-scid, beige-scid) mice as excellent recipients of human skin grafts containing intraepidermal neoplasms. Takizawa Y, Saida T, Tokuda Y, Dohi S, Wang YL, Urano K, Hioki K, Ueyama Y. Arch Dermatol Res. 1997 Mar;289(4):213-8.
211	Protective immunity to HIV-1 in SCID/beige mice reconstituted with peripheral blood lymphocytes of exposed but uninfected individuals. Zhang C, Cui Y, Houston S, Chang LJ. Proc Natl Acad Sci U S A. 1996 Dec 10;93(25):14720-5.
212	Establishment of Demodex canis on canine skin engrafted onto scid-beige mice. Caswell JL, Yager JA, Barta JR, Parker W. J Parasitol. 1996 Dec;82(6):911-5.
213	Role of CD4+, CD8+ and double negative T-cells in the protection of SCID/beige mice against respiratory challenge with Rhodococcus equi. Ross TL, Balson GA, Miners JS, Smith GD, Shewen PE, Prescott JF, Yager JA. Can J Vet Res. 1996 Jul;60(3):186-92.
214	MDL 74,968, a new acyclonucleotide analog: activity against human immunodeficiency virus in vitro and in the hu-PBL-SCID.beige mouse model of infection. Bridges CG, Taylor DL, Ahmed PS, Brennan TM, Hornsperger JM, Navé JF, Casara P, Tyms AS. Antimicrob Agents Chemother. 1996 May;40(5):1072-7.
215	Antimetastatic and antitumor activities of interleukin 10 in a murine model of breast cancer. Kundu N, Beaty TL, Jackson MJ, Fulton AM. J Natl Cancer Inst. 1996 Apr 17;88(8):536-41.
216	Involvement of B lymphocytes in the growth inhibition of human pulmonary melanoma metastases in athymic nu/nu mice by an antibody-lymphotoxin fusion protein. Reisfeld RA, Gillies SD, Mendelsohn J, Varki NM, Becker JC. Cancer Res. 1996 Apr 15;56(8):1707-12.
217	Involvement of the complement system in the protection of mice from challenge with respiratory syncytial virus Long strain following passive immunization with monoclonal antibody 18A2B2. Corbeil S, Seguin C, Trudel M. Vaccine. 1996 Apr;14(6):521-5.
218	Comparison of four murine Eimeria species in immunocompetent and immunodeficient mice. Schito ML, Barta JR, Chobotar B. J Parasitol. 1996 Apr;82(2):255-62.
219	Human immunodeficiency virus infection of xenografted SCID-beige mice. McBride BW, Easterbrook LM, Farrar GH. J Med Virol. 1995 Oct;47(2):130-8.
220	Experimental Legionnaires' disease in SCID-Beige mice reconstituted with human leucocytes. Williams A, McBride BW, Hall G, Fitzgeorge RB, Farrar GH. J Med Microbiol. 1995 Jun;42(6):433-41.
221	Pulmonary alveolar proteinosis. A spontaneous and inducible disease in immunodeficient germ-free mice. Warner T, Balish E. Am J Pathol. 1995 Apr;146(4):1017-24.
222	Human Th0-type T helper-cell clone supports antigen-specific immunoglobulin production in scid/beige-hu mice. Chin LT, Ifversen P, Kristensson K, Wahren B, Carlsson R, Borrebaeck CA. Scand J Immunol. 1994 Nov;40(5):529-34.
223	Signs and lesions of experimental Sendai virus infection in two genetically distinct strains of SCID/beige mice. Percy DH, Auger DC, Croy BA. Vet Pathol. 1994 Jan;31(1):67-73.
224	Demonstration of equine immunoglobulin in sera from severe combined immunodeficiency/beige mice inoculated with equine lymphocytes. Balson GA, Croy BA, Ross TL, Yager JA. Vet Immunol Immunopathol. 1993 Dec;39(4):315-25.
225	Branhamella catarrhalis pathogenesis in SCID and SCID/beige mice. Brief report. Harkness RE, Guimond MJ, McBey BA, Klein MH, Percy DH, Croy BA. APMIS. 1993 Oct;101(10):805-10.

226	Antitumor response independent of functional B or T lymphocytes induced by the local and sustained release of interleukin-2 by the tumor cells. Alosco T, Croy BA, Gansbacher B, Wang HQ, Rao U, Bankert R. Cancer Immunol Immunother. 1993 Jun;36(6):364-72. Select item 8391609
227	Studies of virus-induced myocardial injury in mice: value of the scid mutation on different genetic backgrounds and combined with other mutations. Chow LH. Lab Anim Sci. 1993 Apr;43(2):133-5. Review.
228	Spontaneous and experimental infections in scid and scid/beige mice. Percy DH, Barta JR. Lab Anim Sci. 1993 Apr;43(2):127-32. Review.
229	Homozygous scid/scid;beige/beige mice have low levels of spontaneous or neonatal T cell-induced B cell Mosier DE, Stell KL, Gulizia RJ, Torbett BE, Gilmore GL. J Exp Med. 1993 Jan 1;177(1):191-4.
230	Engraftment of severe combined immune deficient/beige mice with bovine foetal lymphoid tissues. Boermans HJ, Percy DH, Stirtzinger T, Croy BA. Vet Immunol Immunopathol. 1992 Nov;34(3-4):273-89.
231	The effect of experimental infection with Rhodococcus equi on immunodeficient mice. Yager JA, Prescott CA, Kramar DP, Hannah H, Balson GA, Croy BA. Vet Microbiol. 1991 Aug 30;28(4):363-76.
232	Diagnostic exercise: hepatitis in SCID-beige mice. Scott RA, Croy BA, Percy DH. Lab Anim Sci. 1991 Apr;41(2):166-8. No abstract available.
233	A quick procedure for identifying doubly homozygous immunodeficient scid beige mice. Froidevaux S, Loor F. J Immunol Methods. 1991 Mar 21;137(2):275-9.
234	Experimental sialodacryoadenitis virus infection in severe combined immunodeficient mice. Percy DH, Williams KL, Croy BA. Can J Vet Res. 1991 Jan;55(1):89-90.
235	Demonstration of a splenic cytotoxic effector cell in mice of genotype SCID/SCID.BG/BG. MacDougall JR, Croy BA, Chapeau C, Clark DA. Cell Immunol. 1990 Oct 1;130(1):106-17. Trans Am Clin Climatol Assoc. 2009;120:369-88.