



2022年6月27日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2022年6月度)

試験責任者：品質保証部
マネジャー 佐々木 征直

A handwritten signature in blue ink, appearing to read "M. Suzuki", positioned above a horizontal line.

ジャクソン・ラボラトリ・ジャパン株式会社
モニタリングセンター
〒315-0138 茨城県石岡市上林 955
TEL: 0299-44-1691 FAX: 0299-44-1692



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A11 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MuCPV ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 60	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
P. aeruginosa ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Staph. aureus ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 15	0 / 90	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
Pneumocystis sp. ad	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30	
C. bovis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	



Immunodeficient Mouse SPF/VAF Report (Barrier) Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A11 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	0 / 90
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	0 / 107
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	0 / 82
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
NU/NU CD1	NU/NU B/C
NU+ CD1	NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A12 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MuCPV ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 60	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
P. aeruginosa ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Staph. aureus ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 15	0 / 90	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
Pneumocystis sp. ad	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30	
C. bovis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	



Immunodeficient Mouse SPF/VAF Report (Barrier) Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A12 Mice

Health Status
Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	0 / 90
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	0 / 107
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	0 / 82
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
NU/NU B/C
NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A13 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	SPF / VAF	Most Recent	Past 18 Months
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MuCPV bd	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A13 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	Positive / Tested	Most Recent	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J
C57BL/6N

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A14 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	SPF / VAF	Most Recent	Past 18 Months
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MuCPV bd	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A14 Mice



Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
CD-1	B6 ALBINO
	CBA/J
	NC/CRJ
	SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A21 Rats

Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
Virology						
SEND ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
SDAV ace	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 274	
KRV ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
H1 ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
RPV ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
RMV ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
RTV ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
R. heyliei (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 282	
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 257	
C. bovis bde	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A21 Rats



Summary Item	Method	Primary Lab	Health Status		
			SPF / VAF	Most Recent	Past 18 Months
HOUSED STRAINS					
	Outbred CD				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A22 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	SPF / VAF	Most Recent	Past 18 Months
Virology						
SEND ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
PVM ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
MHV ace	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 195	
MVM ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
MPV ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
MNV ace	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 195	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
REO ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
EDIM ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
MuCPV bd	PCR	RADS JPN	09-May-2022	0 / 5	0 / 28	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 181	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
P. aeruginosa bd	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Jun-2022	0 / 16	0 / 196	
C. bovis bde	PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 68	



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A22 Mice



Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
Helminths ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 67	
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/C	CDF-1
DBA/1	
DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A24 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
MuCPV bd	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
C. rodentium ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 257	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	06-Jun-2022	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90	

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A24 Mice

Health Status
SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 107	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	25-May-2022	0 / 1	0 / 82	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H11 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
PVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
SDAV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	0 / 274
KRV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
H1 ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
RPV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
RMV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
REO ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
RTV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
C. kutscheri ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
H. bilis ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
H. hepaticus ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
Helicobacter sp. ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
M. pulmonis ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
R. heyliei (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
P. aeruginosa bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
Salmonella sp. ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
S. moniliformis ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 282	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	0 / 257
C. bovis bde	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
Pathology						
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90	0 / 90
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
Helminths ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	0 / 82
E. cuniculi ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	0 / 65

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H11 Rats



Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
HOUSED STRAINS						
	Outbred WISTAR	Inbred F344 WKY				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H12 Mice

Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
Virology						
SEND ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MuCPV bd	PCR	RADS JPN	10-May-2022	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
C. rodentium ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90	

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H12 Mice

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Health Status</i>		<i>Past 18 Months</i>	
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>	<i>Most Recent</i>
Parasitology						
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
<i>Helminths ade</i>	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6 OB
BKS DB
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H13 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
SDAV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
KRV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
H1 ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RPV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RMV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RTV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
R. heyliei (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 282	
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
C. bovis bde	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H13 Rats



Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
HOUSED STRAINS						
		Inbred				
		BN				
		LEWIS				
		PCK				
		ZDF FA/+				
		ZDF FA/FA				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H21 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
SDAV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
KRV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
H1 ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RPV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RMV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
RTV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
R. heyliei (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 282	
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
C. bovis bde	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.



Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H21 Rats



Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
HOUSED STRAINS						
	Outbred CD					

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H22 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	SPF / VAF	Most Recent	Past 18 Months
Virology						
SEND ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
PVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MHV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
MVM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MPV ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
MNV ace	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 274	
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
REO ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
EDIM ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
ECTRO ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
K ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
POLY ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MTLV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
LDV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
MuCPV bd	PCR	RADS JPN	10-May-2022	0 / 5	0 / 30	
Microbiology						
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
C. rodentium ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
C. kutscheri ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. bilis ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
H. hepaticus ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helicobacter sp. ade	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
M. pulmonis ac	MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 257	
R. heyllii (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
P. aeruginosa bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Salmonella sp. ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
S. moniliformis ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
CPL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Jun-2022	0 / 16	0 / 282	
C. bovis bde	PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Pathology						
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90	



Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H22 Mice



Summary Item	Method	Primary Lab	Health Status			
			Test Date	Positive / Tested	Most Recent	
Parasitology						
Ectoparasites ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
Helminths ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 107	
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-May-2022	0 / 1	0 / 82	
E. cuniculi ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred	Hybrid
CD-1	C3H	B6C3F1
	C57BL/6N	BDF-1
	DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A15 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
PVM ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
MHV ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
MVM ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
MPV ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
MNV ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
TMEV (GDVII) ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
REO ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
EDIM ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
LCMV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
ECTRO a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
MAV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
MCMV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
K a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
POLY a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
HANT a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
MTLV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
LDV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
MuCPV a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
C. rodentium abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
C. kutscheri abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
H. bilis ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
H. hepaticus ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
Helicobacter sp. ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
M. pulmonis ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
P. aeruginosa abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
Salmonella sp. abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
Staph. aureus abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
S. moniliformis a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
Strep. pneumoniae abc	Culture/PCR	RADS JPN	14-Jun-2022	0 / 45	0 / 338	0 / 338
Beta Strep. sp. a	Culture/PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	0 / 68
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127
Pneumocystis sp. ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	0 / 127



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A15 Mice

Summary Item	Method	Primary Lab	Health Status		Most Recent	Past 18 Months
			Test Date	Positive / Tested		
Microbiology						
C. bovis ac	PCR	RADS JPN	14-Jun-2022	0 / 10	0 / 127	
Pathology						
Gross Exam ad	Exam	RADS JPN	06-Jun-2022	0 / 12	0 / 68	
Parasitology						
Ectoparasites a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	
Helminths a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	
Enteric Protozoa a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	
E. cuniculi a	PCR	RADS JPN	06-Jun-2022	0 / 12	0 / 68	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains
Congenic
CB17SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T21 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
PVM ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
MHV ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
MVM ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
MPV ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
MNV ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
TMEV (GDVII) ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
REO ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
EDIM ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	0 / 496
LCMV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
ECTRO a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
MAV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
MCMV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
K a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
POLY a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
HANT a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
MTLV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
LDV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	0 / 292
MuCPV a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 269	
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
C. rodentium abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	
C. kutscheri abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
H. bilis ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	
H. hepaticus ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	
Helicobacter sp. ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	
M. pulmonis ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
P. aeruginosa abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
Salmonella sp. abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
Staph. aureus abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
S. moniliformis a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	
Strep. pneumoniae abc	Culture/PCR	RADS JPN	07-Jun-2022	0 / 64	0 / 1,259	
Beta Strep. sp. a	Culture/PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292	
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	
Pneumocystis sp. ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496	



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T21 Mice

Summary Item	Method	Primary Lab	Health Status		Past 18 Months
			Test Date	Positive / Tested	
Microbiology					
C. bovis ac	PCR	RADS JPN	07-Jun-2022	0 / 14	0 / 496
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Jun-2022	0 / 16	0 / 292
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292
Helminths a	Exam/PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292
E. cuniculi a	PCR	RADS JPN	01-Jun-2022	0 / 16	0 / 292

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Other Strains
SHO	<u>Congenic</u> NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T22 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Virology						
SEND ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
PVM ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
MHV ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
MVM ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
MPV ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
MNV ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
TMEV (GDVII) ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
REO ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
EDIM ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
LCMV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
ECTRO a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
MAV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
MCMV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
K a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
POLY a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
HANT a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
MTLV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
LDV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
MuCPV a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 217	0 / 217
Microbiology						
B. bronchiseptica abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
C. rodentium abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
C. kutscheri abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
H. bilis ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
H. hepaticus ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
Helicobacter sp. ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
M. pulmonis ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
R. heyliei (P.pneumotropica) abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
P. aeruginosa abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
Salmonella sp. abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
Staph. aureus abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
S. moniliformis a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
Strep. pneumoniae abc	Culture/PCR	RADS JPN	21-Jun-2022	0 / 60	0 / 938	0 / 938
Beta Strep. sp. a	Culture/PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	0 / 220
CPL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372
Pneumocystis sp. ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	0 / 372



Immunodeficient Mouse SPF/VAF Report (Isolator) Japan

The Jackson Laboratory Japan, Inc.

Location
Tsukuba T22 Mice

Health Status
SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months	
			Test Date	Positive / Tested	Positive / Tested	Positive / Tested
Microbiology						
C. bovis ac	PCR	RADS JPN	21-Jun-2022	0 / 12	0 / 372	
Pathology						
Gross Exam ad	Exam	RADS JPN	06-Jun-2022	0 / 28	0 / 220	
Parasitology						
Ectoparasites a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	
Helminths a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	
Enteric Protozoa a	Exam/PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	
E. cuniculi a	PCR	RADS JPN	06-Jun-2022	0 / 28	0 / 220	

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

NOD SCID J

SCIDBEIGE

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings