

2022年7月28日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2022年7月度)

試験責任者：品質保証部
マネジャー 佐藤征直



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
PVM ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
MHV ace	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
MVM ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
MPV ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
MNV ace	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
REO ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
EDIM ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
LCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
ECTRO ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
MAV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
MCMV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
K ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
POLY ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
HANT ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
MTLV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
LDV ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
MuCPV ad	PCR	RADS JPN	09-May-2022	0 / 10	0 / 60
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>C. rodentium</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>F. rodentium</i> (CAR Bacillus) ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>H. bilis</i> ade	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>H. hepaticus</i> ade	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>R. heylji</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>R. pneumotropicus</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>P. aeruginosa</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Staph. aureus</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>S. moniliformis</i> ad	PCR	RADS JPN	09-May-2022	0 / 15	0 / 90
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ad	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30
<i>C. bovis</i> ade	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
Helminths ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
NU/NU CD1	NU/NU B/C
NU+ CD1	NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MuCPV ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 60
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>P. aeruginosa ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Staph. aureus ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 15	0 / 90
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis sp. ad</i>	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30
<i>C. bovis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
Helminths ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
E. cuniculi ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
 NU/NU B/C
 NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Atsugi A13 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MuCPV bd</i>	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90

Mouse SPF/VAF Report
Japan

The Jackson Laboratory Japan, Inc.

Location Atsugi A13 Mice *Health Status* SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J
C57BL/6N

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MuCPV bd</i>	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90

Mouse SPF/VAF Report
Japan

The Jackson Laboratory Japan, Inc.

Location Atsugi A14 Mice *Health Status* SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
CD-1	B6 ALBINO
	CBA/J
	NC/CRJ
	SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>SDAV ace</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 274
<i>KRV ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>H1 ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>RPV ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>RMV ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>RTV ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>R. heyltii (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis sp. ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 257
<i>C. bovis bde</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

HOUSED STRAINS

Outbred
CD

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report
Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>PVM ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>MHV ace</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 212
<i>MVM ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>MPV ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>MNV ace</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 212
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>REO ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>K ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>MuCPV bd</i>	PCR	RADS JPN	09-May-2022	0 / 5	0 / 28
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 83
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 197
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 53
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	06-Jul-2022	0 / 16	0 / 212
<i>C. bovis bde</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-May-2022	0 / 15	0 / 68

Mouse SPF/VAF Report
Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>Helminths</i> ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 83
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 68
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 53

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/C	CDF-1
DBA/1	
DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>MuCPV bd</i>	PCR	RADS JPN	09-May-2022	0 / 5	0 / 30
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 257
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	11-Jul-2022	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-May-2022	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	22-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	09-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
PVM ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
SDAV ace	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
KRV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
H1 ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RPV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RMV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
REO ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RTV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>F. rodentium</i> (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. bilis</i> ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus</i> ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>R. heylia</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa</i> bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis</i> ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>C. bovis</i> bde	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Pathology					
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Helminths ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
HOUSED STRAINS	Outbred WISTAR	Inbred F344 WKY			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MuCPV bd</i>	PCR	RADS JPN	10-May-2022	0 / 5	0 / 30
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6 OB
BKS DB
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H13 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
PVM ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
SDAV ace	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
KRV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
H1 ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RPV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RMV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
REO ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
RTV ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
LCMV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
HANT ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
MAV ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>F. rodentium</i> (CAR Bacillus) ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. bilis</i> ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus</i> ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>R. heylia</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus</i> (<i>P.pneumotropica</i>) ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa</i> bd	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis</i> ad	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ac	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>C. bovis</i> bde	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Pathology					
Gross Exam df	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Helminths ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H13 Rats

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
HOUSED STRAINS					
	Inbred				
	BN				
	LEWIS				
	PCK				
	ZDF FA/+				
	ZDF FA/FA				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>SDAV ace</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
<i>KRV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>H1 ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>RPV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>RMV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>RTV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>R. heyltii (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 282
<i>Pneumocystis sp. ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>C. bovis bde</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helminths ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H21 Rats

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

HOUSED STRAINS

Outbred
CD

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location
Hino H22 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>PVM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MHV ace</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
<i>MVM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MPV ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>MNV ace</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 274
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>REO ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MAV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>K ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>POLY ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>HANT ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>LDV ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>MuCPV bd</i>	PCR	RADS JPN	10-May-2022	0 / 5	0 / 30
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
<i>F. rodentium (CAR Bacillus) ad</i>	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. bilis ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>H. hepaticus ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 257
<i>R. heylji (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>R. pneumotropicus (P.pneumotropica) ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>S. moniliformis ad</i>	PCR	RADS JPN	10-May-2022	0 / 10	0 / 65
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	13-Jul-2022	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	10-May-2022	0 / 15	0 / 90

Mouse SPF/VAF Report
Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>Helminths</i> ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	23-Jun-2022	0 / 1	0 / 82
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	10-May-2022	0 / 10	0 / 65

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
C3H
C57BL/6N
DBA/2

Hybrid
B6C3F1
BDF-1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>PVM ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>MHV ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>MVM ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>MPV ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>MNV ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>REO ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>EDIM ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>LCMV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>ECTRO a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>MAV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>MCMV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>K a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>POLY a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>HANT a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>MTLV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>LDV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>MuCPV a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
Microbiology					
<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>F. rodentium (CAR Bacillus) a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>H. bilis ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>H. hepaticus ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>M. pulmonis ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>R. heyltii (P.pneumotropica) abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>R. pneumotropicus (P.pneumotropica) abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>S. moniliformis a</i>	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	12-Jul-2022	0 / 44	0 / 394
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>C. bovis</i> ac	PCR	RADS JPN	12-Jul-2022	0 / 9	0 / 148
Pathology					
Gross Exam ad	Exam	RADS JPN	04-Jul-2022	0 / 12	0 / 80
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
Helminths a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
Enteric Protozoa a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80
<i>E. cuniculi</i> a	PCR	RADS JPN	04-Jul-2022	0 / 12	0 / 80

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

CB17SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
PVM ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
MHV ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
MVM ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
MPV ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
MNV ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
TMEV (GDVII) ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
REO ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
EDIM ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
LCMV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
ECTRO a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
MAV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
MCMV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
K a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
POLY a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
HANT a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
MTLV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
LDV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
MuCPV a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 285
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
C. rodentium abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
C. kutscheri abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
H. bilis ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
H. hepaticus ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
Helicobacter sp. ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
M. pulmonis ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
R. heylji (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
P. aeruginosa abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
Salmonella sp. abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
Staph. aureus abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
S. moniliformis a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
Strep. pneumoniae abc	Culture/PCR	RADS JPN	05-Jul-2022	0 / 64	0 / 1,273
Beta Strep. sp. a	Culture/PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
Pneumocystis sp. ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>C. bovis</i> ac	PCR	RADS JPN	05-Jul-2022	0 / 14	0 / 500
Pathology					
<i>Gross Exam</i> ad	Exam	RADS JPN	04-Jul-2022	0 / 16	0 / 292
Parasitology					
<i>Ectoparasites</i> a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
<i>Helminths</i> a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
<i>Enteric Protozoa</i> a	Exam/PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292
<i>E. cuniculi</i> a	PCR	RADS JPN	04-Jul-2022	0 / 16	0 / 292

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>PVM ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>MHV ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>MVM ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>MPV ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>MNV ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>REO ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>EDIM ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>LCMV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>ECTRO a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>MAV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>MCMV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>K a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>POLY a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>HANT a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>MTLV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>LDV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>MuCPV a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 241
Microbiology					
<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>F. rodentium (CAR Bacillus) a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>H. bilis ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>H. hepaticus ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>M. pulmonis ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>R. heylji (P.pneumotropica) abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>R. pneumotropicus (P.pneumotropica) abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>S. moniliformis a</i>	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	19-Jul-2022	0 / 61	0 / 969
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>C. bovis</i> ac	PCR	RADS JPN	19-Jul-2022	0 / 12	0 / 390
Pathology					
<i>Gross Exam</i> ad	Exam	RADS JPN	05-Jul-2022	0 / 24	0 / 236
Parasitology					
<i>Ectoparasites</i> a	Exam/PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>Helminths</i> a	Exam/PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>Enteric Protozoa</i> a	Exam/PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236
<i>E. cuniculi</i> a	PCR	RADS JPN	05-Jul-2022	0 / 24	0 / 236

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic
NOD SCID J
SCIDBEIGE

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings