

2024 年 2 月 27 日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2024 年 2 月度)

試験責任者：品質保証部
マネジャー 佐藤征直



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
C. rodentium ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
H. bilis ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
H. hepaticus ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Helicobacter sp. ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
M. pulmonis ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
P. aeruginosa ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Salmonella sp. ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Staph. aureus ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Helminths ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
NU/NU CD1
NU+ CD1

Inbred
NU/NU B/C
NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
C. rodentium ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
H. bilis ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
H. hepaticus ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Helicobacter sp. ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
M. pulmonis ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
P. aeruginosa ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Salmonella sp. ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Staph. aureus ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Helminths ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
NU/NU B/C
NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
B6 ALBINO
BALB/CJ
CBA/J
NC/CRJ
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 279
KRV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
H1 ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
RPV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
RMV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
RTV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
C. bovis bde	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred				
	CD				
	WISTAR				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90

The Jackson Laboratory Japan, Inc.					
Location			Health Status		
Atsugi A22 Mice			SPF / VAF		
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS		
	Inbred	Hybrid
	BALB/C	CDF-1
	DBA/1	
	DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

 f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
PVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
MHV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 115
MVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
MPV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
MNV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 115
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
REO ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
EDIM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 23
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
C. rodentium ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 61
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
C. kutscheri ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
H. bilis ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
H. hepaticus ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
Helicobacter sp. ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 107
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 117
C. bovis bde	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
Pathology					
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 53

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
Helminths ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 61
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 51
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 43

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/CJ
C57BL/6NJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	13-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 262
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	13-Feb-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	05-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	05-Feb-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/CJ
C57BL/6J
C57BL/6N

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 279
KRV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
H1 ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
RPV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
RMV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
RTV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
C. bovis bde	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Inbred				
	BN				
	F344				
	LEWIS				
	PCK				
	WKY				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	07-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6 OB
BKS DB
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
PVM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MHV ace	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 279
MVM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MPV ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
MNV ace	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
REO ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	07-Feb-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. bilis ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
H. hepaticus ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 262
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
S. moniliformis ad	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	07-Feb-2024	0 / 15	0 / 90

The Jackson Laboratory Japan, Inc.					
Location			Health Status		
Hino H22 Mice			SPF / VAF		
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
Helminths ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	07-Feb-2024	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

	Outbred	Inbred	Hybrid
	CD-1	C3H	B6C3F1
		C57BL/6N	BDF-1
		DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

 f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
PVM ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
MHV ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
MVM ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
MPV ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
MNV ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
TMEV (GDVII) ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
REO ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
EDIM ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
LCMV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
ECTRO a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
MAV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
MCMV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
K a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
POLY a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
HANT a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
MTLV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
LDV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
MuCPV a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
C. rodentium abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
C. kutscheri abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
H. bilis ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
H. hepaticus ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
Helicobacter sp. ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
M. pulmonis ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
P. aeruginosa abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
Salmonella sp. abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
Staph. aureus abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
S. moniliformis a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
Strep. pneumoniae abc	Culture/PCR	RADS JPN	13-Feb-2024	0 / 45	0 / 1,028
Beta Strep. sp. a	Culture/PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
Pneumocystis sp. ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	13-Feb-2024	0 / 10	0 / 402
Pathology					
Gross Exam ad	Exam	RADS JPN	05-Feb-2024	0 / 12	0 / 232
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
Helminths a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
Enteric Protozoa a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232
E. cuniculi a	PCR	RADS JPN	05-Feb-2024	0 / 12	0 / 232

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

CB17SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
PVM ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
MHV ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
MVM ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
MPV ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
MNV ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
TMEV (GDVII) ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
REO ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
EDIM ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
LCMV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
ECTRO a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
MAV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
MCMV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
K a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
POLY a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
HANT a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
MTLV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
LDV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
MuCPV a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
C. rodentium abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
C. kutscheri abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
H. bilis ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
H. hepaticus ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
Helicobacter sp. ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
M. pulmonis ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
P. aeruginosa abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
Salmonella sp. abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
Staph. aureus abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
S. moniliformis a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310
Strep. pneumoniae abc	Culture/PCR	RADS JPN	06-Feb-2024	0 / 60	0 / 1,412
Beta Strep. sp. a	Culture/PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 308
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
Pneumocystis sp. ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	06-Feb-2024	0 / 12	0 / 546
Pathology					
Gross Exam ad	Exam	RADS JPN	05-Feb-2024	0 / 16	0 / 308
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 312
Helminths a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 312
Enteric Protozoa a	Exam/PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 312
E. cuniculi a	PCR	RADS JPN	05-Feb-2024	0 / 16	0 / 310

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
PVM ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
MHV ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
MVM ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
MPV ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
MNV ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
TMEV (GDVII) ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
REO ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
EDIM ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
LCMV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
ECTRO a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
MAV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
MCMV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
K a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
POLY a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
HANT a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
MTLV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
LDV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
MuCPV a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
C. rodentium abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
C. kutscheri abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
H. bilis ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
H. hepaticus ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
Helicobacter sp. ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
M. pulmonis ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
P. aeruginosa abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
Salmonella sp. abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
Staph. aureus abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
S. moniliformis a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
Strep. pneumoniae abc	Culture/PCR	RADS JPN	20-Feb-2024	0 / 48	0 / 1,219
Beta Strep. sp. a	Culture/PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
Pneumocystis sp. ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	20-Feb-2024	0 / 11	0 / 470
Pathology					
Gross Exam ad	Exam	RADS JPN	13-Feb-2024	0 / 12	0 / 264
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
Helminths a	Exam/PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
Enteric Protozoa a	Exam/PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264
E. cuniculi a	PCR	RADS JPN	13-Feb-2024	0 / 12	0 / 264

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

NOD SCID J

SCIDBEIGE

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings