

2024 年 11 月 28 日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2024 年 11 月度)

試験責任者：品質保証部

マネジャー 佐藤征直



ジャクソン・ラボラトリー・ジャパン株式会社
モニタリングセンター

〒315-0138 茨城県石岡市上林 955
TEL: 0299-44-1691 FAX: 0299-44-1692

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
MVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV ad	PCR	RADS JPN	11-Nov-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
H. bilis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
H. hepaticus ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Helminths ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred

ICR-nu nu/+

ICR-nu nu/nu

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
MVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV ad	PCR	RADS JPN	11-Nov-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
H. bilis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
H. hepaticus ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Helminths ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
MVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
H. bilis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
H. hepaticus ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Helminths ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6 Albino
B6J
CBA
NC
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 280
KRV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
H1 ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
RPV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
RMV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
RTV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
H. bilis ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
H. hepaticus ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
R. heylli (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
C. bovis bde	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Helminths ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred CD(SD) Wistar				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
PVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
MHV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 87
MVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
MPV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
MNV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 87
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
REO ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
EDIM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 18
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
C. rodentium ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 44
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
C. kutscheri ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
H. bilis ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
H. hepaticus ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
Helicobacter sp. ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 81
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 86
C. bovis bde	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 38

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
Helminths ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 44
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 39
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6NJ
BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
PVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
MHV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 255
MVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
MPV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
MNV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 255
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
REO ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
EDIM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 38
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
C. rodentium ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 115
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
C. kutscheri ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
H. bilis ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
H. hepaticus ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
Helicobacter sp. ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 238
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 258
C. bovis bde	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 98

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
Helminths ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 115
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 95
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

BALB/cByJ

db

ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
MVM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
H. bilis ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
H. hepaticus ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
Helminths ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 280
MVM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
H. bilis ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
H. hepaticus ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
Helminths ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 279
KRV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
H1 ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
RPV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
RMV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
RTV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. bilis ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. hepaticus ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
C. bovis bde	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helminths ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred	Inbred			
	Wistar	BN			
		F344			
		LEW			
		PCK			
		WKY			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 279
MVM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	12-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. bilis ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. hepaticus ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.
Location
Hino H12 Mice

Location		Health Status			
Hino H12 Mice		SPF / VAF			
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helminths ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J
ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
PVM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MHV ace	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 279
MVM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MPV ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
MNV ace	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
REO ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	12-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. bilis ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
H. hepaticus ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 282
C. bovis bde	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
Helminths ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred	Hybrid
ICR	B6N	B6C3F1
	BALB/c	B6D2F1
	C3H	
	DBA/1	
	DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
PVM ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
MHV ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
MVM ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
MPV ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
MNV ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
TMEV (GDVII) ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
REO ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
EDIM ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
LCMV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
ECTRO a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
MAV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
MCMV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
K a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
POLY a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
HANT a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
MTLV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
LDV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
MuCPV a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
C. rodentium abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
C. kutscheri abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
H. bilis ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
H. hepaticus ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
Helicobacter sp. ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
M. pulmonis ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
P. aeruginosa abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
Salmonella sp. abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
Staph. aureus abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
S. moniliformis a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
Strep. pneumoniae abc	Culture/PCR	RADS JPN	12-Nov-2024	0 / 43	0 / 1,030
Beta Strep. sp. a	Culture/PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
Pneumocystis sp. ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	12-Nov-2024	0 / 9	0 / 405
Pathology					
Gross Exam ad	Exam	RADS JPN	11-Nov-2024	0 / 16	0 / 236
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
Helminths a	Exam/PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
Enteric Protozoa a	Exam/PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236
E. cuniculi a	PCR	RADS JPN	11-Nov-2024	0 / 16	0 / 236

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

C.B-17 SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
PVM ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
MHV ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
MVM ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
MPV ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
MNV ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
TMEV (GDVII) ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
REO ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
EDIM ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
LCMV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
ECTRO a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
MAV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
MCMV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
K a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
POLY a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
HANT a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
MTLV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
LDV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
MuCPV a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
C. rodentium abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
C. kutscheri abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
H. bilis ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
H. hepaticus ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
Helicobacter sp. ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
M. pulmonis ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
P. aeruginosa abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
Salmonella sp. abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
Staph. aureus abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
S. moniliformis a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338
Strep. pneumoniae abc	Culture/PCR	RADS JPN	05-Nov-2024	0 / 98	0 / 1,519
Beta Strep. sp. a	Culture/PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 336
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
Pneumocystis sp. ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	05-Nov-2024	0 / 42	0 / 594
Pathology					
Gross Exam ad	Exam	RADS JPN	05-Nov-2024	0 / 24	0 / 336
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 340
Helminths a	Exam/PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 340
Enteric Protozoa a	Exam/PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 340
E. cuniculi a	PCR	RADS JPN	05-Nov-2024	0 / 24	0 / 338

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG
NSG-MHC I/II DKO

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
PVM ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
MHV ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
MVM ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
MPV ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
MNV ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
TMEV (GDVII) ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
REO ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
EDIM ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
LCMV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
ECTRO a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
MAV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
MCMV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
K a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
POLY a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
HANT a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
MTLV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
LDV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
MuCPV a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
C. rodentium abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
C. kutscheri abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
H. bilis ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
H. hepaticus ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
Helicobacter sp. ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
M. pulmonis ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
P. aeruginosa abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
Salmonella sp. abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
Staph. aureus abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
S. moniliformis a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
Strep. pneumoniae abc	Culture/PCR	RADS JPN	19-Nov-2024	0 / 42	0 / 1,099
Beta Strep. sp. a	Culture/PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
Pneumocystis sp. ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	19-Nov-2024	0 / 9	0 / 429
Pathology					
Gross Exam ad	Exam	RADS JPN	12-Nov-2024	0 / 12	0 / 248
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
Helminths a	Exam/PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
Enteric Protozoa a	Exam/PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248
E. cuniculi a	PCR	RADS JPN	12-Nov-2024	0 / 12	0 / 248

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

NOD SCID

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings