

2024 年 12 月 20 日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2024 年 12 月度)

試験責任者：品質保証部

マネジャー 佐藤征直



ジャクソン・ラボラトリー・ジャパン株式会社
モニタリングセンター

〒315-0138 茨城県石岡市上林 955
TEL: 0299-44-1691 FAX: 0299-44-1692

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV ad	PCR	RADS JPN	11-Nov-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred

ICR-nu nu/+

ICR-nu nu/nu

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV ad	PCR	RADS JPN	11-Nov-2024	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
CPIL (Tyzzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
Pneumocystis sp. ad	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6 Albino
B6J
CBA
NC
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
R. heylli (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred CD(SD) Wistar				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
MHV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 104
MVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
MPV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
MNV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 104
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
REO ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
EDIM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 18
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 45
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 97
R. heyltii (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 102
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 38

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 45
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 40
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 33

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6NJ
BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
MHV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 272
MVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
MPV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
MNV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 272
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
REO ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
EDIM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 38
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 116
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 254
R. heyltii (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 274
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 98

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 116
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 96
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 78

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

BALB/cByJ

db

ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	11-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 262
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Dec-2024	0 / 16	0 / 282
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	05-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 262
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2024	0 / 16	0 / 282
C. bovis bde	PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	05-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	27-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	05-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred	Inbred			
	Wistar	BN			
		F344			
		LEW			
		PCK			
		WKY			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	12-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 282
C. bovis bde	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.
Location
Hino H12 Mice

Location		Health Status			
Hino H12 Mice		SPF / VAF			
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J
ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
MuCPV bd	PCR	RADS JPN	12-Nov-2024	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 262
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Dec-2024	0 / 16	0 / 282
C. bovis bde	PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Nov-2024	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	28-Nov-2024	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Nov-2024	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6N
BALB/c
C3H
DBA/1
DBA/2

Hybrid
B6C3F1
B6D2F1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
PVM ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
MHV ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
MVM ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
MPV ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
MNV ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
TMEV (GDVII) ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
REO ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
EDIM ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
LCMV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
ECTRO a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
MAV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
MCMV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
K a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
POLY a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
HANT a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
MTLV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
LDV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
MuCPV a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
C. rodentium abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
C. kutscheri abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
H. bilis ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
H. hepaticus ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
Helicobacter sp. ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
M. pulmonis ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
P. aeruginosa abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
Salmonella sp. abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
Staph. aureus abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
S. moniliformis a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
Strep. pneumoniae abc	Culture/PCR	RADS JPN	10-Dec-2024	0 / 29	0 / 1,010
Beta Strep. sp. a	Culture/PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
Pneumocystis sp. ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	10-Dec-2024	0 / 6	0 / 397
Pathology					
Gross Exam ad	Exam	RADS JPN	02-Dec-2024	0 / 8	0 / 232
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
Helminths a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
Enteric Protozoa a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232
E. cuniculi a	PCR	RADS JPN	02-Dec-2024	0 / 8	0 / 232

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

C.B-17 SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
PVM ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
MHV ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
MVM ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
MPV ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
MNV ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
TMEV (GDVII) ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
REO ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
EDIM ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
LCMV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
ECTRO a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
MAV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
MCMV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
K a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
POLY a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
HANT a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
MTLV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
LDV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
MuCPV a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
C. rodentium abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
C. kutscheri abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
H. bilis ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
H. hepaticus ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
Helicobacter sp. ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
M. pulmonis ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
P. aeruginosa abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
Salmonella sp. abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
Staph. aureus abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
S. moniliformis a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342
Strep. pneumoniae abc	Culture/PCR	RADS JPN	03-Dec-2024	0 / 69	0 / 1,529
Beta Strep. sp. a	Culture/PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 340
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
Pneumocystis sp. ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	03-Dec-2024	0 / 13	0 / 597
Pathology					
Gross Exam ad	Exam	RADS JPN	02-Dec-2024	0 / 20	0 / 340
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 344
Helminths a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 344
Enteric Protozoa a	Exam/PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 344
E. cuniculi a	PCR	RADS JPN	02-Dec-2024	0 / 20	0 / 342

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG
NSG-MHC I/II DKO

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
PVM ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
MHV ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
MVM ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
MPV ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
MNV ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
TMEV (GDVII) ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
REO ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
EDIM ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
LCMV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
ECTRO a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
MAV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
MCMV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
K a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
POLY a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
HANT a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
MTLV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
LDV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
MuCPV a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
C. rodentium abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
C. kutscheri abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
H. bilis ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
H. hepaticus ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
Helicobacter sp. ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
M. pulmonis ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
P. aeruginosa abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
Salmonella sp. abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
Staph. aureus abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
S. moniliformis a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
Strep. pneumoniae abc	Culture/PCR	RADS JPN	17-Dec-2024	0 / 44	0 / 1,077
Beta Strep. sp. a	Culture/PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
Pneumocystis sp. ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	17-Dec-2024	0 / 10	0 / 411
Pathology					
Gross Exam ad	Exam	RADS JPN	03-Dec-2024	0 / 8	0 / 228
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
Helminths a	Exam/PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
Enteric Protozoa a	Exam/PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228
E. cuniculi a	PCR	RADS JPN	03-Dec-2024	0 / 8	0 / 228

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

NOD SCID

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings