

2025 年 2 月 27 日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2025 年 2 月度)

試験責任者：品質保証部
マネジャー 佐藤征直



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
H. bilis ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
H. hepaticus ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
Pneumocystis sp. ad	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Helminths ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred

ICR-nu nu/+

ICR-nu nu/nu

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
C. rodentium ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
H. bilis ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
H. hepaticus ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Helicobacter sp. ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
M. pulmonis ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
P. aeruginosa ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Salmonella sp. ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Staph. aureus ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
Pneumocystis sp. ad	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Helminths ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
C. bovis bde	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6 Albino
CBA
NC
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
SDAV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 280
KRV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
H1 ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
RPV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
RMV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
RTV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 283
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
C. bovis bde	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred				
	CD(SD)				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
PVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
MHV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 132
MVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
MPV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
MNV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 132
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
REO ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
EDIM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 23
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
C. rodentium ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 62
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
C. kutscheri ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
H. bilis ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
H. hepaticus ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
Helicobacter sp. ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 124
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 134
C. bovis bde	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 53

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
Helminths ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 62
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 52
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

B6NJ

BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 283
C. bovis bde	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

BALB/cByJ

db

ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 263
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 283
C. bovis bde	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 263
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 283
C. bovis bde	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
SDAV ace	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 280
KRV ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
H1 ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
RPV ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
RMV ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
RTV ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
R. heylii (P.pneumotropica) ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Feb-2025	0 / 15	0 / 283
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
C. bovis bde	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	04-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item			Method	Primary Lab	Most Recent		Past 18 Months
					Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS							
	Outbred Wistar	Inbred	BN				
			F344				
			LEW				
			PCK				
			WKY				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
PVM ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
MHV ace	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 280
MVM ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
MPV ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
MNV ace	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
REO ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
EDIM ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
LCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	04-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
C. rodentium ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 15	0 / 108
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
H. bilis ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
H. hepaticus ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 263
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
S. moniliformis ad	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	04-Feb-2025	0 / 15	0 / 283
C. bovis bde	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	04-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
Helminths ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 15	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6N
BALB/c
C3H
DBA/1
DBA/2

Hybrid
B6C3F1
B6D2F1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
PVM ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
MHV ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
MVM ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
MPV ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
MNV ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
TMEV (GDVII) ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
REO ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
EDIM ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
LCMV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
ECTRO a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
MAV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
MCMV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
K a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
POLY a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
HANT a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
MTLV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
LDV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
MuCPV a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
C. rodentium abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
C. kutscheri abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
H. bilis ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
H. hepaticus ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
Helicobacter sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
M. pulmonis ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
P. aeruginosa abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
Salmonella sp. abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
Staph. aureus abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
S. moniliformis a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
Strep. pneumoniae abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 50	0 / 1,004
Beta Strep. sp. a	Culture/PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
Pneumocystis sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 388
Pathology					
Gross Exam ad	Exam	RADS JPN	03-Feb-2025	0 / 4	0 / 220
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
Helminths a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
Enteric Protozoa a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220
E. cuniculi a	PCR	RADS JPN	03-Feb-2025	0 / 4	0 / 220

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

C.B-17 SCID

NOD SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
PVM ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
MHV ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
MVM ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
MPV ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
MNV ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
TMEV (GDVII) ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
REO ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
EDIM ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
LCMV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
ECTRO a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
MAV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
MCMV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
K a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
POLY a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
HANT a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
MTLV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
LDV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
MuCPV a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
C. rodentium abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
C. kutscheri abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
H. bilis ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
H. hepaticus ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
Helicobacter sp. ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
M. pulmonis ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
P. aeruginosa abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
Salmonella sp. abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
Staph. aureus abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
S. moniliformis a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
Strep. pneumoniae abc	Culture/PCR	RADS JPN	04-Feb-2025	0 / 75	0 / 1,552
Beta Strep. sp. a	Culture/PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346
CPIL (Tyzzler's Disease) ac	Exam/PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
Pneumocystis sp. ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	04-Feb-2025	0 / 19	0 / 607
Pathology					
Gross Exam ad	Exam	RADS JPN	03-Feb-2025	0 / 16	0 / 344
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 348
Helminths a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 348
Enteric Protozoa a	Exam/PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 348
E. cuniculi a	PCR	RADS JPN	03-Feb-2025	0 / 16	0 / 346

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG
NSG-MHC I/II DKO

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
PVM ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
MHV ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
MVM ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
MPV ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
MNV ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
TMEV (GDVII) ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
REO ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
EDIM ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
LCMV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
ECTRO a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
MAV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
MCMV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
K a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
POLY a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
HANT a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
MTLV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
LDV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
MuCPV a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
C. rodentium abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
C. kutscheri abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
H. bilis ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
H. hepaticus ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
Helicobacter sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
M. pulmonis ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
P. aeruginosa abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
Salmonella sp. abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
Staph. aureus abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
S. moniliformis a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
Strep. pneumoniae abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 13	0 / 985
Beta Strep. sp. a	Culture/PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
Pneumocystis sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	18-Feb-2025	0 / 2	0 / 379
Pathology					
Gross Exam ad	Exam	RADS JPN	12-Feb-2025	0 / 8	0 / 212
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
Helminths a	Exam/PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
Enteric Protozoa a	Exam/PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212
E. cuniculi a	PCR	RADS JPN	12-Feb-2025	0 / 8	0 / 212

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (IVC)

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H23 Mice

Health Status

SPF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
PVM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MHV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MVM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MPV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MNV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
TMEV (GDVII) ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
REO ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
EDIM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
LCMV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
ECTRO ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MAV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MCMV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
K ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
POLY ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
HANT ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MTLV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
LDV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MuCPV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
C. rodentium abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
F. rodentium (CAR Bacillus) ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
C. kutscheri abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
H. bilis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
H. hepaticus ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Helicobacter sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
M. pulmonis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
P. aeruginosa abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
Salmonella sp. abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
Staph. aureus abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
S. moniliformis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Strep. pneumoniae abc	Culture/PCR	RADS JPN	18-Feb-2025	0 / 18	0 / 18
Beta Strep. sp. ac	Culture/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Pneumocystis sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17

Immunodeficient Mouse SPF/VAF Report (IVC)

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H23 Mice

Health Status

SPF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Pathology					
Gross Exam ad	Exam	RADS JPN	18-Feb-2025	0 / 16	0 / 16
Parasitology					
Ectoparasites ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Helminths ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Enteric Protozoa ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
E. cuniculi ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = fecal bacteriology is done monthly; c = EAD PCR is done quarterly

Other

d = results do not include incidental or strain related findings