

2025 年 4 月 25 日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2025 年 4 月度)

試験責任者：品質保証部
マネジャー 佐藤征直



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
P. aeruginosa ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Staph. aureus ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
Pneumocystis sp. ad	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred

ICR-nu nu/+

ICR-nu nu/nu

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 60
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
P. aeruginosa ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Staph. aureus ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
CPIL (Tyzzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
Pneumocystis sp. ad	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
C. bovis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107

Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

BALB/c-nu nu/+

BALB/c-nu nu/nu

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6 Albino
CBA
NC
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
SDAV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
H1 ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
RPV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
RMV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
RTV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 284
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report**Japan**

The Jackson Laboratory Japan, Inc.

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS					
	Outbred				
	CD(SD)				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
PVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
MHV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 166
MVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
MPV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
MNV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 166
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
REO ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
EDIM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 23
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 64
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 157
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 167
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 53

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 64
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 54
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 43

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

B6NJ

BALB/cJ

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzers's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 284
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred

B6J

BALB/cByJ

db

ob

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	03-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 264
R. heylji (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Apr-2025	0 / 16	0 / 284
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	03-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	03-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	12-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 264
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Apr-2025	0 / 16	0 / 284
C. bovis bde	PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	12-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	12-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
SDAV ace	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
H1 ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
RPV ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
RMV ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
RTV ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 284
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
C. bovis bde	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	04-Feb-2025	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

Rat SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item			Method	Primary Lab	Most Recent		Past 18 Months
					Test Date	Positive / Tested	Positive / Tested
HOUSED STRAINS							
	Outbred Wistar	Inbred	BN				
			F344				
			LEW				
			PCK				
			WKY				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
PVM ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
MHV ace	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
MPV ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
MNV ace	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
REO ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
EDIM ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
LCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
MuCPV bd	PCR	RADS JPN	04-Feb-2025	0 / 5	0 / 30
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
C. rodentium ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 107
F. rodentium (CAR Bacillus) ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 264
R. heylII (P.pneumotropica) ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
R. pneumotropicus (P.pneumotropica) ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
CPIL (Tyzzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Apr-2025	0 / 16	0 / 284
C. bovis bde	PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	04-Feb-2025	0 / 15	0 / 90

Mouse SPF/VAF Report

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	21-Mar-2025	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	04-Feb-2025	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
ICR

Inbred
B6N
BALB/c
C3H
DBA/1
DBA/2

Hybrid
B6C3F1
B6D2F1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
PVM ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
MHV ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
MVM ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
MPV ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
MNV ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
TMEV (GDVII) ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
REO ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
EDIM ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
LCMV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
ECTRO a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
MAV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
MCMV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
K a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
POLY a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
HANT a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
MTLV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
LDV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
MuCPV a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
C. rodentium abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
C. kutscheri abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
H. bilis ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
H. hepaticus ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
Helicobacter sp. ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
M. pulmonis ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
P. aeruginosa abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
Salmonella sp. abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
Staph. aureus abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
S. moniliformis a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
Strep. pneumoniae abc	Culture/PCR	RADS JPN	08-Apr-2025	0 / 28	0 / 960
Beta Strep. sp. a	Culture/PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
CPIL (Tyzzler's Disease) ac	Exam/PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
Pneumocystis sp. ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Atsugi A15 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	08-Apr-2025	0 / 6	0 / 365
Pathology					
Gross Exam ad	Exam	RADS JPN	07-Apr-2025	0 / 12	0 / 200
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
Helminths a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
Enteric Protozoa a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200
E. cuniculi a	PCR	RADS JPN	07-Apr-2025	0 / 12	0 / 200

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

C.B-17 SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
PVM ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
MHV ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
MVM ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
MPV ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
MNV ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
TMEV (GDVII) ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
REO ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
EDIM ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
LCMV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
ECTRO a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
MAV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
MCMV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
K a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
POLY a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
HANT a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
MTLV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
LDV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
MuCPV a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
C. rodentium abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
C. kutscheri abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
H. bilis ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
H. hepaticus ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
Helicobacter sp. ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
M. pulmonis ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
R. heylII (P.pneumotropica) abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
P. aeruginosa abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
Salmonella sp. abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
Staph. aureus abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
S. moniliformis a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
Strep. pneumoniae abc	Culture/PCR	RADS JPN	01-Apr-2025	0 / 104	0 / 1,606
Beta Strep. sp. a	Culture/PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
Pneumocystis sp. ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	01-Apr-2025	0 / 36	0 / 621
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Apr-2025	0 / 20	0 / 352
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 356
Helminths a	Exam/PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 356
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 356
E. cuniculi a	PCR	RADS JPN	01-Apr-2025	0 / 20	0 / 354

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains

Congenic
NOD SCID
NSG
NSG-MHC I/II DKO

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
PVM ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
MHV ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
MVM ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
MPV ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
MNV ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
TMEV (GDVII) ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
REO ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
EDIM ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
LCMV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
ECTRO a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
MAV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
MCMV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
K a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
POLY a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
HANT a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
MTLV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
LDV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
MuCPV a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
C. rodentium abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
F. rodentium (CAR Bacillus) a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
C. kutscheri abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
H. bilis ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
H. hepaticus ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
Helicobacter sp. ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
M. pulmonis ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
P. aeruginosa abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
Salmonella sp. abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
Staph. aureus abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
S. moniliformis a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
Strep. pneumoniae abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 6	0 / 883
Beta Strep. sp. a	Culture/PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
Pneumocystis sp. ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

The Jackson Laboratory Japan, Inc.

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 347
Pathology					
Gross Exam ad	Exam	RADS JPN	07-Apr-2025	0 / 8	0 / 200
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
Helminths a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
Enteric Protozoa a	Exam/PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200
E. cuniculi a	PCR	RADS JPN	07-Apr-2025	0 / 8	0 / 200

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/VAF Report (IVC)

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H23 Mice

Health Status

SPF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
PVM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MHV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MVM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MPV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MNV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
TMEV (GDVII) ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
REO ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
EDIM ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
LCMV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
ECTRO ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MAV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MCMV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
K ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
POLY ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
HANT ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MTLV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
LDV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
MuCPV ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
C. rodentium abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
F. rodentium (CAR Bacillus) ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
C. kutscheri abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
H. bilis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
H. hepaticus ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Helicobacter sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
M. pulmonis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
R. heylii (P.pneumotropica) abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
R. pneumotropicus (P.pneumotropica) abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
P. aeruginosa abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
Salmonella sp. abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
Staph. aureus abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
S. moniliformis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Strep. pneumoniae abc	Culture/PCR	RADS JPN	15-Apr-2025	0 / 1	0 / 20
Beta Strep. sp. ac	Culture/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Pneumocystis sp. ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17

Immunodeficient Mouse SPF/VAF Report (IVC)

Japan

The Jackson Laboratory Japan, Inc.

Location

Hino H23 Mice

Health Status

SPF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
C. bovis ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Pathology					
Gross Exam ad	Exam	RADS JPN	18-Feb-2025	0 / 16	0 / 16
Parasitology					
Ectoparasites ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Helminths ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
Enteric Protozoa ac	Exam/PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17
E. cuniculi ac	PCR	RADS JPN	18-Feb-2025	0 / 17	0 / 17

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenetic

SCID Beige

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = fecal bacteriology is done monthly; c = EAD PCR is done quarterly

Other

d = results do not include incidental or strain related findings